

# **Digifort Release Notes**

**Version 7.4.1.3**

**February 17, 2025**

© 2002 - 2025 by Digifort. All rights reserved.

# Index

<b>Part I</b>	<b>Description</b>	<b>6</b>
<b>Part II</b>	<b>IMPORTANT: READ BEFORE UPDATE</b>	<b>8</b>
1	License Changes.....	9
	IPX Analytics .....	9
	Integration with SAFR (Facial Recognition) .....	10
	Briefcam .....	10
	Radar Devices .....	11
<b>Part III</b>	<b>Version 7.4.1.3</b>	<b>13</b>
1	Fixes.....	14
<b>Part IV</b>	<b>Version 7.4.1.2</b>	<b>15</b>
1	Small improvements.....	16
2	Fixes.....	16
<b>Part V</b>	<b>Version 7.4.1.1</b>	<b>17</b>
1	Fixes.....	18
<b>Part VI</b>	<b>Version 7.4.1.0</b>	<b>19</b>
1	New features and improvements.....	20
	Professional Analytics .....	20
2	New supported devices.....	20
	Media Devices .....	20
	I/O Devices .....	34
3	Fixes.....	34
<b>Part VII</b>	<b>Version 7.4.0.4</b>	<b>37</b>
1	Small improvements.....	38
2	Fixes.....	38
<b>Part VIII</b>	<b>Version 7.4.0.3</b>	<b>39</b>
1	Small improvements.....	40
2	Fixes.....	40
<b>Part IX</b>	<b>Version 7.4.0.2</b>	<b>41</b>
1	Small improvements.....	42
2	Fixes.....	42
<b>Part X</b>	<b>Version 7.4.0.1</b>	<b>43</b>

1 Fixes.....	44
<b>Part XI Version 7.4.0.0</b>	<b>45</b>
1 New features and improvements.....	46
<b>Analytics</b> .....	<b>46</b>
New Professional Analytics Engine.....	46
Analytics Metadata Search.....	47
Analytics Heat Map.....	48
Object color.....	49
Option to select metadata to be sent via API and email.....	50
Option to save event image.....	50
Snapshot option for analytics events.....	51
Rendering options applied on playback.....	52
Event Variables for analytics.....	52
<b>LPR</b> .....	<b>52</b>
LPR zones.....	52
ROI configuration.....	53
Multi-lane support.....	54
Advanced LPR Settings.....	55
Conditional activation by preset.....	57
LPR processing via API key.....	57
Option to fetch only the last record on the plate.....	59
Filter LPR results to LPR Bridge results only.....	60
View LPR Bridge results in the LPR report.....	61
Option to enable or disable LPR events.....	61
<b>Events</b> .....	<b>62</b>
Dyanamic object reference in alarm actions.....	62
Event action for sending a push notification to the Digifort Mobile client.....	63
Event action to trigger global event.....	66
Event action for sending virtual matrix.....	67
Event action for sending playback loop.....	71
Global Event rearm time.....	72
New request types and additional headers for HTTP event action.....	73
Improvements and additions to event variables.....	75
<b>Administration Client</b> .....	<b>75</b>
Duplicate system objects.....	75
Warning for insufficient number of licenses.....	76
Option to delete recordings from camera to be deleted.....	76
Audit logging whenever a user view s an image in the admin client.....	77
Compression sw itching in the media profile.....	78
Scroll bar for settings screen.....	78
Removed Live View Username and Passw ord.....	79
Display SSL connection on users screen.....	79
<b>Surveillance Client</b> .....	<b>79</b>
New skin for the Surveillance Client.....	79
Local alarm list in the surveillance client.....	80
Calendar with recording indication for video playback.....	82
Screenstyle editor in surveillance client.....	83
Bookmarks in single-line in timeline.....	84
New shortcuts.....	84
Digital PTZ w hen freezing live image.....	85
Button to mute the audio of an alarm.....	85
Local alert w hen connection to a server is lost.....	85

Option to automatically expand nodes in surveillance client object search.....	87
Option to hide toolbars on inactivity.....	88
Option to select all cameras in video export and motion search.....	89
Option to keep window focus on surveillance client.....	89
Automatically load cameras in Surveillance Client script.....	90
Support for Chromium Edge in the Surveillance Client browser.....	90
Synchronization of events already acknowledged in the synoptic map.....	91
Default map configuration option.....	91
Persistent audio configuration in the surveillance client.....	92
Improved registration of plates in the surveillance client.....	92
Mute button pressed visual notification.....	93
Improved analytics filters.....	93
Reports .....	93
New reports design.....	93
Detailed bookmark search.....	94
Device name and address in the communication failure report.....	95
Searching global events by text.....	95
Add Camera Bookmark to LPR or Analytics Objects.....	96
Show name of I/O events in surveillance client reports.....	96
Display device type in communication failure report.....	97
View snapshot in analytics reports.....	97
Maps .....	99
Locate objects on map.....	99
Address bar for operational maps.....	102
Object filter for operational maps.....	103
Night mode for operational maps.....	104
<b>Failover .....</b>	<b>105</b>
Failover self-healing system.....	105
Automatic synchronization of failover objects.....	106
<b>Cybersecurity .....</b>	<b>107</b>
Option to force user to change password on first login.....	107
Advanced HTTP/RTSP/RTP protocol options.....	108
Email with TLS 1.2.....	109
Software signature (Codesign).....	109
<b>General improvements and features .....</b>	<b>109</b>
Expanding the number of channels for Standard and Professional editions.....	109
Custom objects for operational maps.....	109
Master/slave synchronization for operational maps.....	113
Option to ignore I/O initial state.....	114
Minimum motion duration.....	115
Automatic reloading of web pages.....	115
Rename global events.....	116
Option to reset write failure event.....	116
Download recorded video when creating bookmark.....	117
System Archiving Logs.....	118
Option to write pre-alarm buffer immediately.....	118
OTP Authentication reuse.....	119
Authentication reuse for map configuration and object link.....	119
Service architecture selection in service manager.....	119
Open file location from service manager.....	120
MP4 Export Improvements.....	121
ONVIF profile certification.....	121
Edge recording download system with timeout and number of attempts.....	122
Option to activate or deactivate WEB pages.....	122

Synchronization of the image to be processed on the Analytics and LPR servers .....	122
Added camera description for LPR reports .....	123
General performance improvements .....	123
Archiving error emails.....	123
Settings backup improvements.....	123
Update on Chromium version.....	123
Change of system font.....	123
Sent email log name changed to "Emails and notifications sent" .....	123
Shortcut to 64bit surveillance client.....	123
Micro services for Device Cloud Bridge.....	123
Hide object links for users without rights to that object.....	124
Access to recording audio will reflect user rights .....	124
Machine code stabilization.....	124
Dynamic update of objects in the synoptic map .....	124
Improved playback performance.....	124
Improved CSV export performance.....	124
Improved RTSP server.....	124
Adjustment of empty plates display for LPR.....	124
Popup sync with snapshot for LPR and Analytics events.....	125
Added new Neural Labs redist to installer .....	125
Edge Chromium added on system installation.....	125
Events on the Operational Map.....	125
Architectural indication on server information screen.....	125
Improved performance of the ONVIF tour.....	126
Multi-threading for Analytics drivers.....	126
Improved LPR and Analytics load balancing.....	126
<b>Video Synopsis .....</b>	<b>126</b>
Integration with Video Synopsis V5.....	126
<b>2 New supported devices.....</b>	<b>126</b>
<b>Media Devices .....</b>	<b>126</b>
<b>I/O Devices .....</b>	<b>150</b>
<b>3 Fixes.....</b>	<b>150</b>
 <b>Index .....</b>	 <b>0</b>

**Part**



# 1 Description



This file contains the history of all changes made to the system. Changes here shown are valid for the Enterprise edition that has all the features. Professional, Standard and Explorer editions may not have certain items described in this file.

**Part**





## 2 IMPORTANT: READ BEFORE UPDATE

### 2.1 License Changes

In version 7.4.1 of the system, some license Part Numbers were changed and as a result, some features that used an old Part Number will not work after updating to this version. Check the licenses that were exchanged and the new part number below. If you use the features below, please contact our sales team for more information about exchanging your license before updating your system.

#### 2.1.1 IPX Analytics

The IPX Analytics Engine now has its own integration license and will no longer use Edge Analytics licenses. Edge Analytics licenses installed up to version 7.4.0.4 will no longer activate IPX Analytics and must be exchanged for new "Third-Party Server Analytics Integration" licenses.

Old Part Number	New Part Number
<b>Standard</b>	
DGFST3101V7	DGFAT1101V7
DGFST3102V7	DGFAT1102V7
DGFST3104V7	DGFAT1104V7
DGFST3108V7	DGFAT1108V7
DGFST3116V7	DGFAT1116V7
<b>Professional</b>	
DGFPR3101V7	DGFAT1101V7
DGFPR3102V7	DGFAT1102V7
DGFPR3104V7	DGFAT1104V7
DGFPR3108V7	DGFAT1108V7
DGFPR3116V7	DGFAT1116V7
DGFPR3132V7	DGFAT1116V7 x 2
<b>Enterprise</b>	
DGFEN3101V7	DGFAT1101V7
DGFEN3102V7	DGFAT1102V7
DGFEN3104V7	DGFAT1104V7
DGFEN3108V7	DGFAT1108V7
DGFEN3116V7	DGFAT1116V7
DGFEN3132V7	DGFAT1116V7 x 2
DGFEN3164V7	DGFAT1116V7 x 4
<b>Failover</b>	
DGFFE3101V7	DFOAT1101V7
DGFFE3102V7	DFOAT1102V7
DGFFE3104V7	DFOAT1104V7
DGFFE3108V7	DFOAT1108V7
DGFFE3116V7	DFOAT1116V7
DGFFE3132V7	DFOAT1116V7 x 2
DGFFE3164V7	DFOAT1116V7 x 4

**NOTE:** Edge Analytics licenses remain valid for the use of analytics at the edge of devices and only the licenses that were used for IPX Analytics on Server must be replaced by the new license developed exclusively for integration with analytics from partners or third-party companies that have server-side analytics.

## 2.1.2 Integration with SAFR (Facial Recognition)

Integration with the SAFR Facial Recognition system now has its own integration license and will no longer use Edge Analytics licenses. Edge Analytics licenses installed up to version 7.4.0.4 will no longer work to activate analytics configurations used with SAFR and must be exchanged for new "Facial Recognition Systems Integration" licenses.

Old Part Number	New Part Number
<b>Standard</b>	
DGFST3101V7	DGFFR2101V7
DGFST3102V7	DGFFR2102V7
DGFST3104V7	DGFFR2104V7
DGFST3108V7	DGFFR2108V7
DGFST3116V7	DGFFR2116V7
<b>Professional</b>	
DGFPR3101V7	DGFFR2101V7
DGFPR3102V7	DGFFR2102V7
DGFPR3104V7	DGFFR2104V7
DGFPR3108V7	DGFFR2108V7
DGFPR3116V7	DGFFR2116V7
DGFPR3132V7	DGFFR2116V7 x 2
<b>Enterprise</b>	
DGFEN3101V7	DGFFR2101V7
DGFEN3102V7	DGFFR2102V7
DGFEN3104V7	DGFFR2104V7
DGFEN3108V7	DGFFR2108V7
DGFEN3116V7	DGFFR2116V7
DGFEN3132V7	DGFFR2116V7 x 2
DGFEN3164V7	DGFFR2116V7 x 4
<b>Failover</b>	
DGFFE3101V7	DFOFR2101V7
DGFFE3102V7	DFOFR2102V7
DGFFE3104V7	DFOFR2104V7
DGFFE3108V7	DFOFR2108V7
DGFFE3116V7	DFOFR2116V7
DGFFE3132V7	DFOFR2116V7 x 2
DGFFE3164V7	DFOFR2116V7 x 4

**NOTE:** Edge Analytics licenses remain valid for the use of edge analytics on devices and only the licenses that were used for integration with the SAFR Facial Recognition system must be replaced by the new license that was developed exclusively for integration with Facial Recognition systems.

## 2.1.3 Briefcam

If you use Briefcam's real-time alarm module, the integration now has its own license and will no longer use Edge Analytics licenses. Edge Analytics licenses installed up to version 7.4.0.4 will no longer activate analytics configurations used with the Briefcam real-time alarm module and must be exchanged for new "Third-Party Server Analytics Integration" licenses.

Old Part Number	New Part Number
<b>Standard</b>	

Old Part Number	New Part Number
DGFST3101V7	DGFAT1101V7
DGFST3102V7	DGFAT1102V7
DGFST3104V7	DGFAT1104V7
DGFST3108V7	DGFAT1108V7
DGFST3116V7	DGFAT1116V7
<b>Professional</b>	
DGFPR3101V7	DGFAT1101V7
DGFPR3102V7	DGFAT1102V7
DGFPR3104V7	DGFAT1104V7
DGFPR3108V7	DGFAT1108V7
DGFPR3116V7	DGFAT1116V7
DGFPR3132V7	DGFAT1116V7 x 2
<b>Enterprise</b>	
DGFEN3101V7	DGFAT1101V7
DGFEN3102V7	DGFAT1102V7
DGFEN3104V7	DGFAT1104V7
DGFEN3108V7	DGFAT1108V7
DGFEN3116V7	DGFAT1116V7
DGFEN3132V7	DGFAT1116V7 x 2
DGFEN3164V7	DGFAT1116V7 x 4
<b>Failover</b>	
DGFFE3101V7	DFOAT1101V7
DGFFE3102V7	DFOAT1102V7
DGFFE3104V7	DFOAT1104V7
DGFFE3108V7	DFOAT1108V7
DGFFE3116V7	DFOAT1116V7
DGFFE3132V7	DFOAT1116V7 x 2
DGFFE3164V7	DFOAT1116V7 x 4

**NOTE:** Edge Analytics licenses remain valid for the use of analytics at the edge of devices and only the licenses that were used for integration with Briefcam's real-time alarm module must be replaced with the new license developed exclusively for integration with analytics from partners or third-party companies that have server-based analytics.

### 2.1.4 Radar Devices

Radar devices integrated via the analytics system now have their own integration license and will no longer use Edge Analytics licenses. Edge Analytics licenses installed up to version 7.4.0.4 will no longer activate analytics configurations used with Radar and must be exchanged for new "Radar Integration" licenses.


Old Part Number	New Part Number
<b>Standard</b>	
DGFST3101V7	DGFRD1101V7
DGFST3102V7	DGFRD1102V7
DGFST3104V7	DGFRD1104V7
DGFST3108V7	DGFRD1108V7
DGFST3116V7	DGFRD1116V7
<b>Professional</b>	
DGFPR3101V7	DGFRD1101V7

Old Part Number	New Part Number
DGFPR3102V7	DGFRD1102V7
DGFPR3104V7	DGFRD1104V7
DGFPR3108V7	DGFRD1108V7
DGFPR3116V7	DGFRD1116V7
DGFPR3132V7	DGFRD1116V7 x 2
<b>Enterprise</b>	
DGFEN3101V7	DGFRD1101V7
DGFEN3102V7	DGFRD1102V7
DGFEN3104V7	DGFRD1104V7
DGFEN3108V7	DGFRD1108V7
DGFEN3116V7	DGFRD1116V7
DGFEN3132V7	DGFRD1116V7 x 2
DGFEN3164V7	DGFRD1116V7 x 4
<b>Failover</b>	
DGFFE3101V7	DFORD1101V7
DGFFE3102V7	DFORD1102V7
DGFFE3104V7	DFORD1104V7
DGFFE3108V7	DFORD1108V7
DGFFE3116V7	DFORD1116V7
DGFFE3132V7	DFORD1116V7 x 2
DGFFE3164V7	DFORD1116V7 x 4

Devices affected by the change
Axis D2050-VE
Axis D2110-VE
Dahua PFR4K-D300
Dahua PFR4K-D450

**NOTE:** Edge Analytics licenses remain valid for the use of edge analytics on devices and only licenses that were used for integration with radar via the analytics system must be replaced by the new license developed exclusively for integration with radars.

**Part**



## 3 Version 7.4.1.3

**Release date:** February 17, 2025

### 3.1 Fixes

- Fixed an issue in PTZ Patrol where the system was not restarting the timer to pause the patrol while the user was still using PTZ.
- Fixed a memory leak issue if the user was using the Administration Client, connected with SSL to the server, viewing the camera status screen.
- Fixed an issue where the system was not applying the analytics metadata offset value when sending emails with analytics images with rendered metadata.
- Fixed a port leakage issue in the audio output driver in SIP, which could cause the server to crash after a while of using the drivers.
- Fixed an issue where the system was not saving the master server password (in the settings of a slave server).
- Fixed a problem in the Operational Map objects in the Surveillance Client where it was not possible to select the object on screen, nor was it possible to right-click to get the virtual matrix or remove object options.
- Fixed a problem in the link checker in the Administration Client's map editor where in some situations where objects were updated for DUID indexing, these links were not being corrected.
- Various corrections to device communication drivers.
- Fixed a problem in the LPR record search screen in the Surveillance Client where the system sometimes didn't allow the snapshot of peripheral cameras to be saved.
- The screen for selecting extra columns in the Administration Client records will now display the options in alphabetical order.
- The SAFR analytics driver's face recognition event image will now display the face of the person captured instead of the scene.
- Fixed an issue in video synchronization with failover servers where the system might not download the images and return a critical error.

**Part**



**IV**

## 4 Version 7.4.1.2

**Release date:** November 14, 2024

### 4.1 Small improvements


- The system code has been improved to encrypt and protect sensitive data, such as passwords, in memory.
- Protection against DLL injection has been strengthened.
- SSL security has been improved. Obsolete ciphers and hashes have been removed, and only TLS 1.2 will be enabled by default.
- The SSL certificate will now be stored encrypted on disk.
- A 5% dead center area has been added to the Digifort Joystick Controller by default. This measure will help prevent unwanted camera movements if the joystick is a little loose.
- Video acceleration in video playback has been improved. Video acceleration will now check the video transmission and decoding latency in the player to calculate fast forward or rewind, ensuring that the acceleration speed is followed correctly, regardless of the client's connection speed to the server or the decoding latency.

### 4.2 Fixes

- Fixed a problem with video acceleration in the Media Player, where speeds above 8x were being accelerated much more than they should have been.
- Fixed a memory access violation issue in the server-to-client unicast video transmission system, which could cause the server to crash.
- Fixed a bottleneck in media transmission between the server and clients.
- Fixed an issue in event triggering for Professional Analytics and VCA Core Edge Analytics, where the zone name was being used instead of the rule name, causing problems for API integrations and event triggering.
- Fixed an issue in the alarm popup with sound where, if the limit of popups on screen had been reached, a new popup triggered would not play the associated alarm sound.
- Fixed a problem in the create bookmark event action where, if the bookmark title was a variable with no content, the system would try to save that bookmark without a title, generating an error in the database.
- Fixed a problem when updating Professional Analytics from previous versions, where the system could be loading old channels and not correctly processing the new ones.
- Fixed an issue in the camera configuration screen where the extended group column was not displaying the name of the group in which the camera is associated.
- Fixed an issue that could prevent the Professional Analytics library from loading on new installations, due to the lack of the Visual Studio redistributable.
- Fixed a problem in the LPR Bridge that could cause it to crash when too many requests were queued.



**Part**



## 5 Version 7.4.1.1

**Release date:** September 18, 2024

### 5.1 Fixes

- Fixed a problem with Push Notifications, where the system was no longer able to send notifications due to Google API changes.
- Fixed an issue when exporting MP4 video that could fail if audio was also being exported.
- Fixed a problem when loading ActiveX controls.
- Fixed a small issue when playing a camera via a local directory, where its name was not being displayed in the timeline.
- Exporting in WAV will now no longer display the screen for adding a Watermark.
- The edge video playback context menu was displaying the option to play archived videos incorrectly.

**Part**



## 6 Version 7.4.1.0

**Release date:** July 27, 2024

### 6.1 New features and improvements

- Added minimum limit for retriggering Global Events;
- In the Administration Client, the screen for importing objects from other servers now supports secure connection via SSL/TLS;
- The synoptic map editor in the Administration Client now allows icons to be moved pixel by pixel by pressing CTRL + Arrow keys on the keyboard;
- The system's HTTP client now has a limit on requests made in Keep-Alive mode;
- The HTTP client now has request timeout control;
- The write file cache system will now only save the FilesCache file if it is active;
- The system services manager will now disable the Desktop Interaction option for services;
- Updated the TCP and OpenSSL communication library;
- When a camera is automatically synchronized to the Failover Server, the Auto-Healing option will be automatically disabled;
- The Edge Recording driver for Digifort servers will now work in HTTP instead of RTSP;
- MP4 export now supports native H.265 export;
- The space between objects on the alarm screen has been improved with dynamic resizing of the event message and less space between controls in order to maximize the camera viewing area;
- Improved user query performance in systems with many users, groups and associated rights;
- Analytics settings with edge analytics will now generate events received from the device even if the event is not configured on the system;

#### 6.1.1 Professional Analytics

- Added new Skeleton Tracker, suitable for use with tracking people, with improvements to the Fall event;
- Added new Hand Tracker, suitable for use in scenarios where there is interaction between hands and objects (Requires extra "Behavior" license);
- Added option for Calibration Filter;
- All Deep Learning trackers now support scene calibration;
- The Speed rule is now supported by all trackers;
- Added new Hands Up Detection rule (Requires extra "Behavior" license);
- Added new Fight Detection rule (Requires extra "Behavior" license);
- Added new Directional Crossing Detection rule;
- Added new conditional rule "Repeatedly";
- Added new Retrigger Filter rule;
- Added option to associate rules to reset the value of a counter;
- Added option to specify the maximum size of an object (In pixels) for the Object Tracker;
- Improved Deep Learning object tracker CPU usage;

### 6.2 New supported devices

#### 6.2.1 Media Devices

3S Security N5018-22x  
ACTi E43B  
ACTi Z49  
Alpha-Digi PCAM4020  
Alpha-Digi PCAM4220

Alpha-Digi TCAM3130N  
Alpha-Digi TCAM5130  
AviCam AV-2002F8TD  
AviCam AV-2002QR  
AviCam AV-2002QRP  
AviCam RF-2002F4  
AviCam RF-2002F5  
AviCam RF-2002F5S  
AviCam RF-2002F8  
AviCam RF-2002NT  
Axis A8207-VE Mk II  
Axis C1510  
Axis C1511  
Axis C1610-VE  
Axis C8110  
Axis I8116-E  
Axis M1055-L  
Axis M1075-L  
Axis M3057-PLR Mk II  
Axis M3067-P  
Axis M3077-PLVE  
Axis M3088-V  
Axis M3215-LVE  
Axis M3216-LVE  
Axis M3905-R  
Axis M4215-LV  
Axis M4215-V  
Axis M4216-V  
Axis M4218-LV  
Axis M4218-V  
Axis M4317-PLVE  
Axis M4318-PLVE  
Axis M4327-P  
Axis M4328-P  
Axis P1290-E  
Axis P1465-LE-3  
Axis P1468-XLE  
Axis P3245-LVE-3  
Axis P3245-V  
Axis P3265-LVE-3  
Axis P3827-PVE  
Axis P3905-R Mk III  
Axis P3935-LR  
Axis P4705-PLVE  
Axis P4707-PLVE  
Axis P5676-LE  
Axis P8804-2  
Axis Q1615-LE Mk III  
Axis Q1656-DLE  
Axis Q1785-LE  
Axis Q3538-SLVE  
Axis Q3626-VE  
Axis Q3628-VE

Axis Q6318-LE  
Axis Q8414-LVS  
Axis Q8615-E  
Axis Q9216-SLV  
Axis XPQ1785  
Bosch FlexiDome NDS-5703-F360LE  
Bosch LHN-UC15L-SIP  
Bosch NBE-3502-AL  
Cita CI-ERD-128-I  
Cita CI-ERD-64-I  
Cita CI-NVR-2208-8P-I  
Cita CI-NVR-2408-8P-I  
Cita CI-NVR-2416-16P-I  
Cita CI-NVR-4024-24P-I  
Cita CI-NVR-4032-I  
Cita CI-NVR-7032-I  
Cita CI-NVR-7064-I  
Commend SIP Series - AFLS10HHG  
Commend WS 303V CM  
ConceptPro CVP9329DLIREL-IP8M-Z  
ConceptPro VUHDIP-16-3  
ConceptPro VUHDIP-32-3  
ConceptPro VUHDIP-8-3  
CP Plus CP-UNC-TE81ZL6E-VMDS  
Dahua 49425GBNR  
Dahua DHI-DHI-NVR5208-EI  
Dahua DHI-DHI-NVR5216-16P-EI  
Dahua DHI-MNVR8208-GFWI  
Dahua DHI-NVR2108HS-S3  
Dahua DHI-NVR616RD-4KS2  
Dahua DH-IPC-EBW81242-AS-IVC-S2  
Dahua DH-IPC-EBW81242-AS-S2  
Dahua DH-IPC-EBW8842-AS  
Dahua DH-IPC-EBW8842-AS-IVC  
Dahua DH-IPC-HDBW2231F-AS-S2  
Dahua DH-IPC-HDBW2241E-S  
Dahua DH-IPC-HDBW2241R-ZAS  
Dahua DH-IPC-HDBW3441F-AS-S2  
Dahua DH-IPC-HDBW5241FP-M  
Dahua DH-IPC-HDW3849H-AS-PV  
Dahua DH-IPC-HFW1239S1-LED-S5  
Dahua DH-IPC-HFW2241T-ZS  
Dahua DH-IPC-HFW5241E-Z12E  
Dahua DH-IPC-HFW5842H-ZHE-S2  
Dahua DH-IPC-HFW7442HN-Z  
Dahua DH-IPC-PFW3849S-A180-AS-PV  
Dahua DHI-TPC-KF2241-TB  
Dahua DH-PSDW81642M-A360  
Dahua DH-PSDW81642S-A360-D425  
Dahua DH-PTZ85260-HNF-PA  
Dahua DH-SD6AL233XAN-HNR  
Dahua DH-SD6AL245U-HNI-IR  
Dahua DH-SD8A440FA-HNT

Dahua DH-VCS-SH30  
Dahua Generic cloud  
Dahua IPC-HDBW2531E-S-S2  
Dahua IPC-HDBW2531R-ZAS-S2  
Dahua IPC-HDBW2531R-ZS-S2  
Dahua IPC-HDBW2831E-S-S2  
Dahua IPC-HDBW2831R-ZAS-S2  
Dahua IPC-HDBW2831R-ZS-S2  
Dahua IPC-HDBW5842H-Z4HE-S2  
Dahua IPC-HDBW5842H-ZHE-S2  
Dahua IPC-HDBW71242H-Z  
Dahua IPC-HDBW7442H-Z  
Dahua IPC-HDBW7442H-Z4  
Dahua IPC-HDBW7442H-Z4FR  
Dahua IPC-HDBW7442H-ZFR  
Dahua IPC-HDBW7842H-Z  
Dahua IPC-HDBW7842H-Z4  
Dahua IPC-HDW2531T-AS-S2  
Dahua IPC-HDW2531TM-AS-S2  
Dahua IPC-HDW2531T-ZS-S2  
Dahua IPC-HDW2831T-AS-S2  
Dahua IPC-HDW2831TM-AS-S2  
Dahua IPC-HDW2831T-ZS-S2  
Dahua IPC-HF71242F  
Dahua IPC-HF7442F  
Dahua IPC-HF7442F-FR  
Dahua IPC-HF7842F  
Dahua IPC-HFW2531S-S-S2  
Dahua IPC-HFW2531T-AS-S2  
Dahua IPC-HFW2531T-ZAS-S2  
Dahua IPC-HFW2531T-ZS-S2  
Dahua IPC-HFW2831S-S-S2  
Dahua IPC-HFW2831T-AS-S2  
Dahua IPC-HFW2831T-ZS-S2  
Dahua IPC-HFW5842H-Z4HE-S2  
Dahua IPC-HFW71242H-Z  
Dahua IPC-HFW7442H-Z  
Dahua IPC-HFW7442H-Z4FR  
Dahua IPC-HFW7442H-Z4VH  
Dahua IPC-HFW7442H-ZVH  
Dahua IPC-HFW7842H-Z  
Dahua IPC-HFW7842H-Z4  
Dahua IPC-HFW7842H-Z4FR  
Dahua IPC-HFW7842H-Z4VH  
Dahua IPC-HFW7842H-ZVH  
Dahua ITC431-RW1F-IRL8  
Dahua Mobile Center Service  
Dahua NVR2104-4KS2  
Dahua NVR2104HS-4KS2  
Dahua NVR2104HS-P-4KS2  
Dahua NVR2104-P-4KS2  
Dahua NVR2108-4KS2  
Dahua NVR2108-8P-4KS2

Dahua NVR2108HS-4KS2  
Dahua NVR2108HS-8P-4KS2  
Dahua NVR2116-4KS2  
Dahua NVR2116HS-4KS2  
Dahua NVR2204-4KS2  
Dahua NVR2204-P-4KS2  
Dahua NVR2208-4KS2  
Dahua NVR2208-P-4KS2  
Dahua NVR2216-4KS2  
Dahua NVR4104-4KS2  
Dahua NVR4104HS-4KS2  
Dahua NVR4104HS-P-4KS2  
Dahua NVR4108-4KS2  
Dahua NVR4108HS-4KS2  
Dahua NVR4108HS-8P-4KS2  
Dahua NVR4204-P-4KS2  
Dahua NVR4208-4KS2  
Dahua NVR4216-16P-4KS2  
Dahua NVR4216-4KS2  
Dahua NVR4232-4KS2  
Dahua NVR4416-16P-4KS2  
Dahua NVR4816-16P-4KS2  
Dahua NVR4816-4KS2  
Dahua NVR4832-4KS2  
Dahua VTO2101E-P-S2  
Dynacom WQ55ZAI  
Dynacom WQ925ZAI  
Dynacom WQ955ZAI  
Dynacom WQ975APR  
Dynacom WQ975RPR  
Dynacom WQ975TPR  
Eyenor ENC-HBU5M-50R-94  
Eyenor ENC-HBU5M-80R-94  
Eyenor ENC-HHP5Z-150R-92  
Frahm FIP305BM36  
General Eletric Ultraview  
Gerp IP NBVELM4MH-2.7A13.5MM  
Giga GS0371A  
Giga GS0372A  
Hanwha Techwin PNV-A6081R  
Hanwha Techwin TNV-C7013RC  
Hanwha Techwin XNP-6403RW  
Hanwha Techwin XNP-C9303RW  
Hanwha Techwin XNV-C6083R  
Hanwha Techwin XNV-C7083R  
Hanwha Techwin XNV-C8083R  
Hanwha Techwin XNV-C9083R  
Hanwha Vision ANE-L7012L  
Hanwha Vision PNM-C16013RVQ  
Hanwha Vision PNM-C16083RVQ  
Hanwha Vision PNM-C32083RVQ  
Hanwha Vision PNM-C34404RQPZ  
Hanwha Vision PNM-C9022RV



Hanwha Vision PNO-A6081R  
Hanwha Vision PNO-A9081R  
Hanwha Vision PNO-A9311R  
Hanwha Vision QND-8012  
Hanwha Vision QNE-C8013RL  
Hanwha Vision QNE-C9013RL  
Hanwha Vision QNP-6250H  
Hanwha Vision QNV-8083R  
Hanwha Vision QNV-C6083R  
Hanwha Vision QNV-C8011R  
Hanwha Vision QNV-C8012  
Hanwha Vision QNV-C9011R  
Hanwha Vision QNV-C9083R  
Hanwha Vision SPA-C110B  
Hanwha Vision SPA-C110W  
Hanwha Vision TID-600R  
Hanwha Vision TNV-C7013RC  
Hanwha Vision TNV-C8011RW  
Hanwha Vision XNB-6002  
Hanwha Vision XNO-6080R  
Hanwha Vision XNO-6120R/LPR  
Hanwha Vision XNO-6123R  
Hanwha Vision XNO-C6083  
Hanwha Vision XNO-C6083R  
Hanwha Vision XNP-6403RW  
Hanwha Vision XNP-C9303RW  
Hanwha Vision XNP-C9310R  
Hanwha Vision XNV-6083RZ  
Hanwha Vision XNV-8083Z  
Hanwha Vision XNV-9083RZ  
Hikvision Device Gateway  
Hikvision DS-2CD1047G0-L  
Hikvision DS-2CD6365G0E-IVS  
Hikvision DS-2DE3A404IW-DE  
Hikvision DS-2DE7A432IW-AE/B  
Hikvision DS-2SE4C425MWG-E  
Hikvision DS-2SF8C442MXS-DLW  
Hikvision DS-2TD1228-2/QA  
Hikvision DS-2TD2528T-7/Q  
Hikvision DS-2TD2608-2/QA  
Hikvision DS-2TD2617-10/QA  
Hikvision DS-2TD2617-6/QA  
Hikvision DS-2TD2628-3/QA  
Hikvision DS-2TD2628-7/QA  
Hikvision DS-2TD2637-15/P  
Hikvision DS-2TD4137-25/W  
Hikvision DS-2TD4228-10/W  
Hikvision DS-7104HQHI-K1  
Hikvision DS-7108HQHI-K1  
Hikvision DS-7108NI-K1/W/M  
Hikvision DS-7116HQHI-K1  
Hikvision DS-7204HGHI-K1  
Hikvision DS-7208HGHI-K1

Hikvision DS-7216HGHI-K1  
Hikvision DS-7604NXI-K1  
Hikvision DS-7608NI-I2  
Hikvision DS-7608NI-Q1/8P  
Hikvision DS-7608NXI-K1  
Hikvision DS-7616NI-I2  
Hikvision DS-7616NXI-K1  
Hikvision DS-7632NI-I2  
Hikvision DS-7632NXI-K2  
Hikvision DVR-116G-K1  
Hikvision iDS-2CD7A46G0-IZHS  
HiLook DVR-116G-K1  
HiLook DVR-116G-K1 (33 channels)  
HiLook DVR-204G-F1  
HiLook DVR-208G-F1  
HiLook DVR-216G-F1  
Holowits HWT-D2120-10-SIU  
Holowits HWT-D2152-10-SIU  
Holowits HWT-D3220-10-SIU  
Holowits HWT-D6550-10-Z33-SV  
Holowits HWT-IVS1800  
Holowits HWT-M2121-10-EI  
Holowits HWT-M2241-10-QL  
Honeywell HC30WB5R2  
Honeywell HC35W45R2  
Honeywell HC35WB5R2  
Honeywell HC35WZ2R25  
Honeywell HC35WZ5R30  
Honeywell HC60W35R2  
Honeywell HC60WB5R2  
Honeywell HC60WZ2R40  
Honeywell HC60WZ4R40KI  
Honeywell HN35080200  
Inpex IPX-944M3  
Inpex IPX-LB2FI-67(2.8)  
Inpex IPX-LMD2FI-67IK(2.8)  
Inpex IPX-PB2VFI-67IK (P) LPR  
Inpex IPX-SRV16CH (L)  
Inpex IPX-SRV32CH (M)  
Intelbras BCM 5000  
Intelbras Generic cloud  
Intelbras HDCVI3132 M  
Intelbras iMHDX 3116  
Intelbras iMHDX 3132  
Intelbras iMHDX 5116  
Intelbras iMHDX 7016  
Intelbras iMHDX 7032  
Intelbras iNVD 3016  
Intelbras iNVD 3032  
Intelbras iNVD 5032  
Intelbras iNVD 5132  
Intelbras iNVD 5232  
Intelbras iNVD 5232 16P

Intelbras iNVD 7032  
Intelbras MHDX 1004-C  
Intelbras MHDX 1008-C  
Intelbras MHDX 1016-C  
Intelbras MHDX 1104-C  
Intelbras MHDX 1108-C  
Intelbras MHDX 1116-C  
Intelbras MHDX 1304  
Intelbras MHDX 1308  
Intelbras MHDX 1316  
Intelbras MHDX 3004-C  
Intelbras MHDX 3008-C  
Intelbras MHDX 3016-C  
Intelbras MHDX 3116-C  
Intelbras VIP 1230 D W  
Intelbras VIP 3220 D FC IA  
Intelbras VIP 3220 FC IA  
Intelbras VIP 3250 AL IA  
Intelbras VIP 3260 Z IA  
Intelbras VIP 3280 B AL  
Intelbras VIP 3430 B IA  
Intelbras VIP 3430 D IA  
Intelbras VIP 5225 SD IR IA G2  
Intelbras VIP 5280 B IA  
Intelbras VIP 5330 SD  
Intelbras VIP 5440 D Z IA  
Intelbras VIP 5460 Z IA  
Intelbras VIP 5460 Z IA FT  
Intelbras VIP 7200 TH FT  
Intelbras VIP 7240 A FT  
Intelbras VIP 7430 A FT  
Intelbras VIP 7460 Z FT  
Intelbras VIP 7550 D Z IA FT  
Intelbras VIP 7550 Z IA FT  
Intelbras VIP 91210 F IA FT  
Intelbras VIP 94120 IA FT G3  
Intelbras VIP 94120 LPR IA FT G2  
Intelbras VIP 94180 LPR IA FT  
Intelbras VIP 9420 3D FT  
Intelbras VIP 9450 B Face  
Intelbras VIPC 1430B  
Intelbras VIPC 1430D  
Intelbras VIPC-1230-B-G2  
Intelbras VIPC-1230-D-G2  
i-Pro WV-S65340-Z4N  
Khomp D-1500  
Khomp SIP Horn Speaker  
Longse LBE905XRL400  
Microlink MS-C2841-X36TPC  
Microlink MV-P1217-PNFB  
Microlink MV-P220-BUB  
Microlink MV-P220-LUPB  
Microlink MV-P220-X20-PTZ-EB

Microlink MV-P220-X20-PTZ-UD  
Microlink MV-P220-X20-UPPB  
Microlink MV-P220-X30-WSD  
Microlink MV-P220-X36-WSD  
Microlink MV-P228-BUB  
Microlink MV-P228-LLB  
Microlink MV-P228-LUPB  
Microlink MV-P228-LURB  
Microlink MV-P228-MVB  
Microlink MV-P228-VPB  
Microlink MV-P228-VPD  
Microlink MV-P228-WPB  
Microlink MV-P228-WPD  
Microlink MV-P228-X12-PTZ-UD  
Microlink MV-P228-X23-PTZ-EB  
Microlink MV-P228-X23-PTZ-SD  
Microlink MV-P228-X23-PTZ-UD  
Microlink MV-P228-X30-PTZ-SB  
Microlink MV-P228-X42-PTZ-SB  
Microlink MV-P228-X42-WSD  
Microlink MV-P229-ILB  
Microlink MV-P229-ILD  
Microlink MV-P520-UPPB  
Microlink MV-P520-X12-PTZ-UD  
Microlink MV-P528-BUB  
Microlink MV-P528-LLB  
Microlink MV-P528-LUPB  
Microlink MV-P528-MVB  
Microlink MV-P528-PNLB  
Microlink MV-P528-PNLD  
Microlink MV-P528-VPB  
Microlink MV-P528-VPD  
Microlink MV-P528-WPB  
Microlink MV-P528-WPD  
Microlink MV-P528-X23-PTZ-EB  
Microlink MV-P528-X23-PTZ-SD  
Microlink MV-P528-X30-PTZ-SB  
Microlink MV-P528-X30-PTZ-WSD  
Microlink MV-P528-X42-PTZ-SB  
Microlink MV-P529-ILB  
Microlink MV-P529-ILD  
Microlink MV-P818-BUB  
Microlink MV-P818-PTZ-EB  
Microlink MV-P818-X20-PTZ-EB  
Microlink MV-P818-X36-PTZ-SB  
Microlink MV-P828-BUB  
Microlink MV-P828-MVB  
Microlink MV-P828-PNLB  
Microlink MV-P828-PNLD  
Microlink MV-P828-VPB  
Microlink MV-P828-VPD  
Microlink MV-P828-WPB  
Microlink MV-P829-ILB

Microlink MV-P829-ILD  
Milesight MS-C2964-RFLPE  
Milesight MS-C2966-RFLWPC  
Milesight MS-C2966-RFLWPE  
Milesight MS-C2966-TFLPC  
Milesight MS-C2972-RFLPC  
Milesight MS-C2972-RFLPE  
Milesight MS-C5371-X12PE  
Milesight TS2841-X36TPC  
Milesight TS2866-X12TGPC  
Milesight TS2866-X4TGPC  
Milesight TS2866-X4TPC  
Milesight TS2866-X4TPE  
Milesight TS2866-X4TVPC  
Milesight TS2866-X4TVPE  
Milesight TS2866-X4TWC  
Milesight TS2866-X4TWE  
Milesight TS2867-X5TPC  
Milesight TS2867-X5TPE  
Milesight TS2961-X12TPC  
Milesight TS2961-X12TPE  
Milesight TS2966-X12TPE  
Milesight TS2966-X12TVPE  
Milesight TS2967-X12TPE  
Milesight TS8266-FPC/P  
Milesight TS8266-FPE/P  
Milesight TS8266-X4PE  
Milesight TS8266-X4TVPC  
Milesight TS8266-X4VPE  
Milesight TS8266-X4WE  
Milesight TS8267-X5PE  
Mobotix C26  
Mobotix Generic  
Mobotix M73  
Motorola MTN162K1622  
Panasonic WV-S1131  
Panasonic WV-S2111L  
Panasonic WV-S3530  
Panasonic WV-S65340-Z4N  
Pelco ESCE1-2X40-RLU  
Pelco ESCE1-8X36-RLU  
Pelco Esprit Compact 1 Series  
Pelco Esprit ES6230-K170048  
Pelco Sarix Enhanced 4 SRXE4-2V12-EBT-IR1  
Pelco Sarix EXC260262  
Pelco Sarix EXC260262-A0  
Pelco Sarix EXC260262-A4  
Pelco Sarix Pro 4 SRXP4-5V10-EMD  
Positivo Seg PST-CIP-B102-AP  
Positivo Seg PST-CIP-B104-AP  
Positivo Seg PST-CIP-B302-AIP-M  
Positivo Seg PST-CIP-B302-APZ-M  
Positivo Seg PST-CIP-B304-AP-M

Positivo Seg PST-CIP-D102-P  
Positivo Seg PST-CIP-D104-P  
Positivo Seg PST-CIP-F305-AIP  
Positivo Seg PST-CIP-P302-AIP  
Positivo Seg PST-NVR-10104  
Positivo Seg PST-NVR10108-P  
Positivo Seg PST-NVR-10216  
Positivo Seg PST-NVR-10232  
Positivo Seg PST-NVR-30126-P  
Positivo Seg PST-NVR-30216-I  
Positivo Seg PST-NVR-30832  
Positivo Seg PST-XVR-1014-F  
Positivo Seg PST-XVR-1018-F  
Positivo Seg PST-XVR-30104  
Positivo Seg PST-XVR-30108  
Positivo Seg PST-XVR-30116  
Positivo Seg PST-XVR-30216  
Pumatronix ITSCAM-600  
Redvision RVK-STOR-32  
Redvision RVX2S  
Samsung SRD-1676D  
Siera PNP 1104HD-IVS  
Siera PNP 1108HD-IVS  
Siera PNP 1116HD-IVS  
Siera PRO 6936IP/08-IVS  
Siera PRO 6936IP/15-IVS  
Siera PRO 6936IP/25-IVS  
Siera PRO 6936IP/35-IVS  
Siera PRO 6936IP/50-IVS  
Siera PRO 6946IP-IVS  
Siera PRO 6966IP-IVS  
Siera PRO 6970IP/15-IVS  
Siera PRO 6970IP/25-IVS  
Siera PRO 6970IP/35-IVS  
Siera PRO 6970IP/50-IVS  
Siera PRO 6980IP-IVS/100  
Siera PRO 6980IP-IVS/75  
Siera PRO 9020IP-4MPX-V2-IVS  
Siera PRO 9020IP-8MPX-V2-IVS  
Siera PRO 9022IP-2MPX-IVS  
Siera PRO 9032IP-8MPX-IVS-A  
Siera PRO 9050IP-4MPX-V2-IVS  
Siera PRO 9050IP-8MPX-IVS  
Siera PRO 9052IP-2MPX-IVS  
Siera PRO 9062IP-2MPX-IVS  
Siera PRO 9172IP-2MPX  
Siera PRO 9172IP-2MPX-IVS  
Siera PRO 9360IP-12MPX-V2-IVS  
Siera PRO 9700IP-5MPX-IVS  
Siera PRO 9792IP-3MPX-IVS-P  
Siera PRO 9794-5MPX-IVS  
Siera PRO 9832IP-32MPX  
Siera SDR 0124SHD-5/1-IVS-FR

Siera SDR 0124SHD-5IN1-IVS  
Siera SDR 0126SHD-5/1-IVS-FR  
Siera SDR 0128SHD-5/1-IVS-FR  
Siera SDR 1008S-POE  
Siera SDR 1016S  
Siera SDR 1104SHD-5IN1-IVS  
Siera SDR 1204SHD-5IN1-IVS  
Siera SDR 1316HDS-5/1-IVS  
Siera SDR 1332SHDS-5/1-V2-FR  
Siera SDR 1416S-POE  
Siera SDR 1432S-V2  
Siera SDR 1504SHD-5/1-IVS-FR  
Siera SDR 1508SHD-5/1-IVS-FR  
Siera SDR 1516SHD-5/1-IVS-FR  
Siera SDR 1604SHD-5/1-IVS-FR  
Siera SDR 1608SHD-5/1-IVS-FR  
Siera SDR 1616SHD-5/1-IVS-FR  
Siera SDR 1804SHD-5/1-IVS-FR  
Siera SDR 1808SHD-5/1-IVS-FR  
Siera SDR 2804  
Siera SDR 2808  
Siera SDR 2816  
Sunell Generic Series  
Sunell SN-2553DRT-F Series  
Sunell SN-2553DRT-F7-13  
Sunell SN-IPR8020CNBN-B2.8-13  
Sunell SN-IPR8040DQAN-Z2.7-13.5-13  
Sunell SN-IPR8050CBAW-B4-13  
Sunell SN-IPR8080BYAN-B2.8  
Sunell SN-IPV8080EFAR-B2.8  
Sunell SN-IPV8540HDAW-B2.8-13  
Sunell SN-TPC2552CT-13  
Sunell SN-TPC6406KT-F Series  
Sunell SN-TPC6406KT-F9-13  
Tecnovideo IPC33R2  
Tiandy TC-C32QN  
Tonmind SIP-S21T  
TVT TD-3108H2-8P-B2-B  
TVT TD-3116H2-16P-B2-B  
TVT TD-33128H16-A3H-B  
TVT TD-3316H2-B2  
TVT TD-3332H2-B2  
TVT TD-3364H16-A3H-B  
TVT TD-3364H8-A3H-B  
TVT TD-5422E1  
TVT TD-9442E3B  
TWG TW-5204 FD  
TWG TW-5208 FD  
TWG TW-5216 FD  
TWG TW-5232 FD  
TWG TW-6208 FD  
TWG TW-6216 FD  
TWG TW-8232 FD 4K

Uniview HC121  
Uniview IPC2105SB-ADF16KM-I0  
Uniview IPC2122LB-ADF28KM-H  
Uniview IPC2122LB-ADF40KM-H  
Uniview IPC-2122LB-AF28K-WL  
Uniview IPC2122LB-AF28WK-G  
Uniview IPC-2122LB-AF40K-WL  
Uniview IPC2122LB-AF40WK-G  
Uniview IPC2122SB-ADF28KM-I0  
Uniview IPC2122SB-ADF40KM-I0  
Uniview IPC2124LB-ADF28KM-H  
Uniview IPC2124LB-ADF40KM-H  
Uniview IPC2125SB-ADF28KMC-I0  
Uniview IPC2125SB-ADF40KMC-I0  
Uniview IPC2128LB-ADF28K-G  
Uniview IPC2128LB-ADF40K-G  
Uniview IPC2128SB-ADF28KMC-I0  
Uniview IPC2128SB-ADF28KM-I0  
Uniview IPC2128SB-ADF40KMC-I0  
Uniview IPC2128SB-ADF40KM-I0  
Uniview IPC2314LE-ADF28KM-WL  
Uniview IPC2314LE-ADF40KM-WL  
Uniview IPC2322LB-ADEZK-H  
Uniview IPC2322LB-ADZK-H  
Uniview IPC2322SB-HDZK-I0  
Uniview IPC2324LB-ADEZK-H  
Uniview IPC2324LB-ADZK-H  
Uniview IPC2325LB-ADZK-H  
Uniview IPC2328SB-DZK-I0  
Uniview IPC318SB-ADF28K-I0  
Uniview IPC322LB-ADF28K-H  
Uniview IPC322LB-ADF40K-H  
Uniview IPC322LB-AF28WK-G  
Uniview IPC3238SB-ADZK-I0  
Uniview IPC324LB-ADF28K-H  
Uniview IPC324LB-ADF40K-H  
Uniview IPC328SB-ADF28K-I0  
Uniview IPC328SB-ADF40K-I0  
Uniview IPC3532LB-ADEZK-H  
Uniview IPC3532LB-ADZK-H  
Uniview IPC3534LB-ADZK-H  
Uniview IPC3534SB-ADNZK-I0  
Uniview IPC3535LB-ADZK-H  
Uniview IPC354SB-ADNF40K-I0  
Uniview IPC3605SB-ADF16KM-I0  
Uniview IPC3612LB-ADF28K-H  
Uniview IPC3612LB-ADF40K-H  
Uniview IPC3612LB-AF28K-WL  
Uniview IPC3614LB-ADF28K-H  
Uniview IPC3614LB-ADF40K-H  
Uniview IPC3618LB-ADF28K-G  
Uniview IPC3618SB-ADF28KMC-I0  
Uniview IPC3618SB-ADF28KM-I0



Uniview IPC3618SB-ADF40KMC-I0  
Uniview IPC3618SB-ADF40KM-I0  
Uniview IPC3624LE-ADF28K-WL  
Uniview IPC3624LE-ADF40K-WL  
Uniview IPC3632LB-ADZK-H  
Uniview IPC3634LB-ADZK-H  
Uniview IPC3635LB-ADZK-H  
Uniview IPC3638SB-ADZK-I0  
Uniview IPC815SB-ADF14K-I0  
Uniview XVR301-08F  
Uniview XVR301-08G3  
Uniview XVR301-08Q3  
Vantage VV-NC91152D-AZIR2T1  
Vantage VV-NC91585B-AZIR2T1  
Vantage VV-NV3416-N2ST1  
Vivotek CC9160-H  
Vivotek FD9166-HNF2  
Vivotek FD9166-HNF4  
Vivotek FD9189-H-v2  
Vivotek FD9366-HVF2  
Vivotek FD9366-HVF4  
Vivotek FE9180-H-v2  
Vivotek FE9192-H  
Vivotek FE9391-EHV-v2  
Vivotek FE9391-EV-v2-M12  
Vivotek FE9391-EV-v2-M12-L  
Vivotek FE9582-EHNV  
Vivotek IB9387-EHT-A  
Vivotek IB9387-HT-A  
Vivotek IB9389-EH-v2  
Vivotek IB9391-EHTV-v2  
Vivotek IP9165-LPR  
Vivotek IT9380  
Vivotek IT9389-H-v2  
Vivotek ND3821  
Vivotek SD9161-H-v2  
Vivotek SD9368-EHL  
Vivotek SD9384-EHL  
Vivotek SD9394-EHL  
WatchNet MPIX-20-BILR-LPR  
WCA CQ-CW50CW  
WCA PTZ7-36X-X335-AI  
Xelpon BXM 1025  
Xelpon BXM 1140  
Xelpon BXM 1140 G2  
Xelpon BXM 2025  
Xelpon BXM 2025 A  
Xelpon BXM 2025 G2  
Xelpon BXM 2040  
Xelpon BXM 2040 G2  
Xelpon BXM 2060  
Xelpon BXM 2140  
Xelpon BXM 2140 A

Xelpon BXM 2140 A G2  
Xelpon BXM 3025  
Xelpon BXM 3025 A  
Xelpon BXM 3025 G2  
Xelpon BXM 3040  
Xelpon BXM 3040 G2  
Xelpon BXM 4020  
Xelpon BXM 4040 CV500  
Xelpon BXM 4040 DV300  
Xelpon BXP 1020  
Xelpon BXP 1020 G2  
Xelpon DXM 1020  
Xelpon DXM 1020 G2  
Xelpon DXM 1130  
Xelpon DXM 1130 G2  
Xelpon DXM 2025  
Xelpon DXM 2025 M  
Xelpon DXM 2130  
Xelpon DXM 2130 G2  
Xelpon DXM 3025  
Xelpon DXM 3025 G2  
Xelpon DXM 4020  
Xelpon DXP 1020  
Xelpon DXP 1020 G2  
Xelpon PXM 30120  
Xelpon PXM 30120 A  
Xelpon PXM 3018  
Xelpon PXM 3036  
Xelpon PXM 40120  
Xelpon PXM 4018  
ZKTeco BL-852O38S-S5  
ZKTeco BL-854N38A-E3  
ZKTeco BL-855P48A-S7  
ZKTeco BL-858M48A-S8  
ZKTeco BS-852O12C-S5-C  
ZKTeco BS-852O22B-S5  
ZKTeco BS-854N22C-S7  
ZKTeco BS-858M22C-S8  
ZKTeco DL-852O28B-S5  
ZKTeco DL-854N28B-E3  
ZKTeco DL-855P28B-S8  
ZKTeco ES-852O21B-S5  
ZKTeco ES-854N21C-S7

## 6.2.2 I/O Devices

Commbbox MIO-0816  
Southwest Remote Polling Module II

## 6.3 Fixes

- The memory manager introduced in version 7.4.0.0 was changed to the previous version used in previous versions of the system as it was causing service crashes;

- Fixed an issue in the mass event configuration screen for LPR Zone and LPR Zone Groups that was not displaying the Occupancy Events button;
- Fixed an issue in the self-healing system where the system was not throwing an error if the temporary image storage directory was not accessible;
- Fixed minor scheduling control rendering issues;
- Fixed an issue with the GetSnapshot API command (For video playback) where its result could contain 0 bytes instead of the image;
- Fixed an issue in auditing when changing objects where the system was always recording that the list of user rights for that object was being changed;
- Fixed an issue in the Surveillance Client where the option to download a centralized list of servers via HTTP was not working;
- Fixed an issue in managing RTSP server connections that could cause server service to crash;
- Fixed a problem in managing connections to cameras that could cause the server to crash;
- Fixed a small bug in the PTZ Onvif driver that could cause problems when calling a preset;
- Fixed an issue where the server could crash when allocating UDP ports to the RTSP server;
- Fixed an issue on the HTTP actions configuration screen where the GET action allowed filling in the DATA field;
- Fixed an issue in the video player where bookmarks were not displayed in a video playback with a custom period;
- Fixed an issue in the map editor where when clicking on an object on the map, focus must be removed from other controls;
- Fixed an issue that could cause the server to crash when client connections are made with a secure SSL/TLS connection;
- Fixed a performance issue with the disk manager where it could take a long time to delete old recordings in scenarios with more than 365 days of recording on a large number of cameras;
- Fixed a problem where the feature of Sending All Objects on Screen to the Virtual Matrix, in the Surveillance Client, was not working if the context menu (right mouse button) was opened from an empty space in the object matrix.
- Fixed a problem in LPR Zones where the "Enter the zone X times" event was not respecting the imposed limit;
- Fixed an issue in the Surveillance Client where when using the centralized server list feature with an HTTP server, the list could not be loaded;
- Fixed a problem in the event action of sending objects to the Virtual Matrix where the system was not sending tiles that had the "-" character in the name;
- Fixed an issue with subscription licenses (Rental) where the system did not load a normal base license together with a subscription base license;
- Fixed an issue that could cause the server to crash when using the GetUsers API;
- Fixed a memory access violation issue in Uniview media drivers;
- Fixed a problem in the Surveillance Client where when changing the tile with the AUTO layout to another tile with a layout with fewer objects, the new layout was not being loaded, maintaining the AUTO format;
- Fixed a problem when importing maps (Through the Administration Client) from other servers where the system could crash depending on the number of maps and size of the map files;
- Fixed a problem in the Edge Analytics driver for Intelbras NVRs where the system was not receiving the entire list of configured zones;
- Fixed an issue with the Edge Recording driver that was not working for some Samsung models;
- Fixed an issue on the HTTP server when serving files in the public folder, the server was returning HTTP OK instead of File Not Found if the file was not found;
- Fixed an issue with manual backup where multiple backup subfolders were being created for the same time;
- The Analytics Direction Filter message was incorrect and displaying as Direction Violation;
- During video playback, if the player was paused and a new camera was added to the player, the player was starting playback instead of keeping it paused;

- When moving columns from the Surveillance Client's local alarm list, the column content was not being moved;
- Fixed an aspect ratio issue in Advanced and Professional Analytics calibration that could result in incorrect calibration;
  
- Professional Analytics:
  - Fixed an issue with the Tampering event where it was not working;
  - Fixed an issue that could cause the analytics service to crash when the server time was changed during daylight saving time;
  - Fixed an issue when calculating the area of objects in calibrated scenes;
  - Fixed an issue with the occupancy counter where it could get out of sync;

**Part**



## 7 Version 7.4.0.4

**Release date:** July 18, 2023


### 7.1 Small improvements

- RTSP Server performance improvement when overloaded with multiple connections;
- The installer now supports parameters to remove components via the command line. See the Advanced Installation document for more information;

### 7.2 Fixes

- Fixed a problem with the RTSP Server where it was using 1 thread per connection in live mode, however using 1 thread per connection should only be for recorded videos;
- Fixed an issue with RTSP Server when packaging H.264 videos with Fragmentation Unit A, which could cause video to break when sending it through the server;
- Fixed an issue with the schedule control where the control was selecting a different 5 minute period than the mouse-marked period;
- Fixed an issue where event actions were failing to enable or disable Global Events;
- Fixed an issue with Push Notification for android where the notification was not received immediately if the phone was locked for more than 5 minutes;
- Fixed a problem in the Edge Playback driver via RTSP on the Digifort Server where it was not working via SSL;
- Fixed a problem in the Digifort Server where it could crash (and increase memory) when some client (API or RTSP) requested video from a camera through a non-existent media profile;
- Fixed a problem in the NTP Timestamp of the RTCP Sender Packet packet from the RTSP Server where the timestamp was being sent with 48 hours more and adjusted for the time zone;
- Fixed a performance issue when processing the LPR image processing command via API where the command could fail with a timeout if the LPR Server was overloaded;
- Fixed memory leak issue in ONVIF event driver;
- Fixed an issue with the HTTP client where it could fail the digest authentication when checking for MD5 support;
- Fixed an API issue with the StartExport command where it could return a wrong exported file size value.

**Part**



**VIII**

## 8 Version 7.4.0.3

**Release date:** April 27, 2023

### 8.1 Small improvements

- Push notification for iOS now has alarm sound and vibration;
- Communication with UDP devices over the internet has been improved to allow access via NAT Traversal
- Improved video playback for Mobile Client, allowing continuous video session extension
- Changed login method on Hikconnect to Device Cloud Bridge as Hikvision implemented captcha and now manual login will be required through a new app called HikconnectLogin.exe

### 8.2 Fixes

- Fixed an issue that could crash the server when using certain API commands;
- Fixed a JSON malformation issue in the API command to return event action;
- Fixed an issue with DUID-indexed objects with repeated names. It will no longer be possible to create objects with repeated names (even indexed by DUID);
- The list of virtual matrix monitors in the send objects to matrix popup will now be automatically divided into multiple columns if the number of monitors is greater than the screen can display;
- Fixed an issue in the feature that confirms the alarm of a global event on the map when closing the alarm screen;
- Fixed an issue with H.264 parsing that could cause some frames not to be decoded;
- Fixed an issue in Vivotek PTZ drivers where the camera would not stop moving if the controller was clicked too fast;
- Fixed a Live Witness QR Code generation issue;
- Fixed an issue with Failover servers that could temporarily disable monitored servers.
- Fixed a problem in the Surveillance Client object list where the system did not display the name of the objects in a hint window when the mouse was over an item with a very long name;
- Fixed a problem on the Global Events registration screen in the Administration Client where when an event filter was applied, the other events would not be visible in the alarm action of triggering Global Events;
- Fixed an ActiveX crashing issue;
- Fixed an issue printing LPR reports;
- Fixed a Playback/GetJPEGStream API issue where it was only sending the first frame of video depending on the compression type of the original video;
- Fixed an issue with Edge Playback drivers where the system erroneously, when downloading the first few seconds of video from the device, could return that there was no video to be played;
- General bug fixes in ONVIF driver



**Part**



## 9 Version 7.4.0.2

**Release date:** January 26, 2023

### 9.1 Small improvements

- Camera group registration in the Administration Client now allows renaming a group using the right mouse button or using the F2 button. Previously it was only possible to change the name of the group by single click on a selected item;
- Archiving will now copy both DIX and DAR files at the same time. Previously the system copied all DIX files first and then DAR files;
- The DVR/NVR license will now be applied to the active channels of a device, regardless of its index. Previously, the system assigned licenses to groups of 16 cameras with a fixed index;

### 9.2 Fixes

- Surveillance Client alarm screen was not being displayed with red border;
- The professional analytics logic rule was not being saved;
- The metadata search screen was not displaying the search button on low resolution computers;
- When duplicating users in the Administration Client, the rights of the user used as a copy base were displayed erroneously;
- Camera registration was not accepting channel numbers above 100, which made it impossible to register equipment with more than 100 channels;
- Exporting audit report in CSV format was not working;
- Fixed a memory access violation issue when exporting audit reports in HTML format;
- Grouping records by event type on the printed audit report was not working;
- Fixed translation issues in printed audit report;
- Peripheral cameras were not printing when printing simple LPR log reports;
- The SIP driver was now not resetting the IP/Port on a disconnect, which could cause communication failures;

**Part**



## 10 Version 7.4.0.1

**Release date:** December 15, 2022

### 10.1 Fixes

- Fixed an issue with global event search where global events were not showing up for users other than Admin user due to re-indexing of Global Events by DUID

**Part**



## 11 Version 7.4.0.0

Release date: December 14, 2022


### 11.1 New features and improvements

#### 11.1.1 Analytics

##### 11.1.1.1 New Professional Analytics Engine

Standard, Professional, Enterprise

In version 7.4.0.0 the well-known video analytics algorithm will be expanded using the new Professional engine. With this new engine, the system is even more sophisticated, having all the filters already known (loitering, direction, presence, abandoned object, removed object, entering or leaving an area, etc.) improved by Deep Learning technology with the new engine (requires the use of a video card to do this type of processing) and many new filters such as color filter, continuous, logic rules, etc., in addition to having a completely new and more modern interface, facilitating system configuration:




This new engine uses a new license that can be requested under the name "Digifort Analytics Professional", consult our technical department for more information on demoing this license.

### 11.1.1.2 Analytics Metadata Search


#### Professional, Enterprise

With the new metadata search, it is even easier for the operator to search the events available in the system. This search allows filtering by the metadata received by Digifort (either via Digifort analytics or edge analytics), making all data received by the system available in a filterable and easily located manner:



Filters such as color, age, classification, height, speed and many others can be used to search with the desired detail, making searches such as "40% red car above 40km/h" possible if the system has data to do so. In addition, the metadata search screen itself already presents all the objects that fit within the selected filters, also presenting a player in the lower right corner so that the operator can visualize the event happening with fluidity.

This search will only be performed on cameras that have analytics metadata recording enabled.




### 11.1.1.3 Analytics Heat Map

#### Enterprise

This new feature adds the functionality to generate a heat map based on the result of the analytic metadata search, according to the filters configured in the search, making it possible to visualize the frequency of objects in a given camera.






#### 11.1.1.4 Object color

##### Standard, Professional, Enterprise

It is now possible to see the color of objects captured by the analytics directly on the screen (if the engine supports it), making it even easier for operators to analyze objects, in addition to providing the object search filter by color in the metadata search:



#### 11.1.1.5 Option to select metadata to be sent via API and email

##### Standard, Professional, Enterprise

The system will now allow the administrator to select which metadata will be sent in the analytics images generated by the server, providing greater clarity of information for operators who will receive these alerts.:

Configurations
Options

Database

Delete database records older than X days

30

Metadata Renderer (For server rendered images only)

<input checked="" type="checkbox"/> Show zones <input checked="" type="checkbox"/> Show lines <input checked="" type="checkbox"/> Show counters <input checked="" type="checkbox"/> Show objects <input checked="" type="checkbox"/> Show object trail <input checked="" type="checkbox"/> Show object classification <input checked="" type="checkbox"/> Show object area	<input checked="" type="checkbox"/> Show object speed <input checked="" type="checkbox"/> Show object height <input checked="" type="checkbox"/> Show object colors <input checked="" type="checkbox"/> Show non-alarmed objects <input checked="" type="checkbox"/> Show characteristics by face recognition
--	---



#### 11.1.1.6 Option to save event image

##### Standard, Professional, Enterprise

The system now allows saving the current image of any analytics event. Previously only face recognition events and abandoned and removed objects saved the image. The administrator will be able to select the types of analytics events that will save images and whether the images will be saved in the database or on disk. We recommend saving the images to disk for installations with many events.

**Save Event Snapshot**

Save images in the database  
 Save images to disk

Local   


Select event types to save the snapshot

<input checked="" type="checkbox"/> Abandoned object	<input checked="" type="checkbox"/> Illegal Parking	<input checked="" type="checkbox"/> Smart Tracking
<input checked="" type="checkbox"/> Appear	<input checked="" type="checkbox"/> Illegal Vehicle Detect	<input checked="" type="checkbox"/> Smoke
<input checked="" type="checkbox"/> Blocked Lane	<input checked="" type="checkbox"/> Irregular Constructio	<input checked="" type="checkbox"/> Social Distancing Vic
<input checked="" type="checkbox"/> Color Filter	<input checked="" type="checkbox"/> Irregular Parking	<input checked="" type="checkbox"/> Sound classification
<input checked="" type="checkbox"/> Continuous Filter	<input checked="" type="checkbox"/> Lane Change	<input checked="" type="checkbox"/> Speed
<input checked="" type="checkbox"/> Counter	<input checked="" type="checkbox"/> Logical rule	<input checked="" type="checkbox"/> Stopped
<input checked="" type="checkbox"/> Counting Line	<input checked="" type="checkbox"/> Loitering	<input checked="" type="checkbox"/> Tailgating
<input checked="" type="checkbox"/> Counting line - A	<input checked="" type="checkbox"/> Non-Detection	<input checked="" type="checkbox"/> Tampering
<input checked="" type="checkbox"/> Counting line - B	<input checked="" type="checkbox"/> Object Condition Ch	<input checked="" type="checkbox"/> Thermal
<input checked="" type="checkbox"/> Deep Learning Filter	<input checked="" type="checkbox"/> Object Filter	<input checked="" type="checkbox"/> Traffic accident
<input checked="" type="checkbox"/> Detection	<input checked="" type="checkbox"/> Occupation	<input checked="" type="checkbox"/> Traffic Congestion
<input checked="" type="checkbox"/> Direction	<input checked="" type="checkbox"/> Parking State	<input checked="" type="checkbox"/> Vehicle Detection
<input checked="" type="checkbox"/> Disappear	<input checked="" type="checkbox"/> Pedestrian Detection	<input checked="" type="checkbox"/> Vehicle Over Cross Li
<input checked="" type="checkbox"/> Enter	<input checked="" type="checkbox"/> Presence	<input checked="" type="checkbox"/> Video Synopsis
<input checked="" type="checkbox"/> Exit	<input checked="" type="checkbox"/> Previous	<input checked="" type="checkbox"/> Wrong way
<input checked="" type="checkbox"/> Face detection	<input checked="" type="checkbox"/> Prohibited conversio	
<input checked="" type="checkbox"/> Facial Recognition	<input checked="" type="checkbox"/> Queue	
<input checked="" type="checkbox"/> Fall	<input checked="" type="checkbox"/> Removed object	
<input checked="" type="checkbox"/> Fire	<input checked="" type="checkbox"/> Scene change	
<input checked="" type="checkbox"/> Follow route	<input checked="" type="checkbox"/> Similarity	

### 11.1.1.7 Snapshot option for analytics events

#### Standard, Professional, Enterprise

This feature will facilitate the sending of events and analysis for objects that have associated analytics video, allowing the sending of metadata in the event snapshot.



Using this function, the operator will receive the snapshot of the moment of the event containing all the analytics metadata captured and rendered in the image.

#### 11.1.1.8 Rendering options applied on playback

##### Standard, Professional, Enterprise

Now the analytics rendering options (show non-alarmed objects, show height, show speed, etc) that are applied in live view will be inherited by the player when playing video.

#### 11.1.1.9 Event Variables for analytics

##### Standard, Professional, Enterprise

It is now possible to use event variables to better describe analytics alerts (having information such as object type, speed, color, etc.), which can be used in any event action available in the system. The variables follow the pattern \$(VARIABLE), for example \$(EVENT\_NAME). To consult the available variables, request the documentation via email to support@digifort.com.

### 11.1.2 LPR

#### 11.1.2.1 LPR zones

##### Professional, Enterprise

This new feature allows the system to differentiate the cameras used in the LPR as "entrance" or "exit" cameras of certain zones, opening a wide range of possibilities, allowing a fine control of which and how many vehicles are inside the premises, presenting statistics such as the number of entries and exits from a zone, as well as average length of stay, etc:


The screenshot displays the Digifort Enterprise Surveillance Client interface. The main window shows a table of license plate entries and a central dashboard with LPR zone statistics. The statistics include:

- Inside the zone: 20 / 40
- Entries Today: 375
- Departures Today: 350
- Average Occupancy Time: 01:00:00

The interface also features a list of license plates on the left, a control panel on the right with various settings and a search bar, and a playback control bar at the bottom.

Plate	Entry date
FPJ0J29	10/30/2022 5:49:27 PM
DZA1916	10/30/2022 5:48:26 PM
FV12H44	10/30/2022 5:46:24 PM
FFS9022	10/30/2022 5:46:08 PM
BYP9D73	10/30/2022 5:37:36 PM
BWW6F65	10/30/2022 5:37:09 PM
GEW6948	10/30/2022 5:34:41 PM
FZO2G23	10/30/2022 5:25:44 PM
FMI8D54	10/30/2022 5:25:22 PM
DHF8106	10/30/2022 5:25:07 PM
FFK5615	10/30/2022 5:21:37 PM
EFC5E92	10/30/2022 5:20:57 PM
FQH0050	10/30/2022 5:20:20 PM
MHM0E77	10/30/2022 5:16:18 PM
GFW7B65	10/30/2022 5:12:36 PM
DIQ9103	10/30/2022 5:12:34 PM
FKX5966	10/30/2022 5:06:04 PM
DZX2171	10/30/2022 5:01:46 PM
FXH3C24	10/30/2022 4:57:49 PM
FUZ0114	10/30/2022 4:57:47 PM

In addition, the function also allows new types of events considering this architecture, such as triggering if the same plate enters the zone X times within a period of time, a vehicle leaves the zone before or after a certain period, or even if a certain vehicle spends too much time inside the zone:




This new concept of working with LPR will open up many possibilities and new ways of working with the system.

### 11.1.2.2 ROI configuration

#### Standard, Professional, Enterprise

It is now possible to define a Region of Interest (ROI) in the LPR configuration. The Region of Interest configuration allows the software to focus on a certain location (for example, a range), making it possible to use a single camera to capture multiple points (if the camera has ideal resolution and positioning), having the same camera registered in various LPR configurations, each with its specific crop or ROI:



### 11.1.2.3 Multi-lane support

Standard, Professional, Enterprise


---

With significant improvements in the algorithm used by the software, it is now possible to use a single camera to analyze several lanes simultaneously, considerably reducing the number of cameras needed for large road projects. Now with this new type of processing, the system will select the best frame for each plate detected in the image and process them in a parallel and independent way, not only opening up multi-lane in a single camera but also improving the capture itself.

#### **11.1.2.4 Advanced LPR Settings**


##### **Standard, Professional, Enterprise**

The system now allows advanced settings for fine-tuning and specific cases of LPR, giving access to settings such as motion sensitivity, similarity, margin for plate positioning, among others:



This function is also available for bulk configurations:





#### 11.1.2.5 Conditional activation by preset

##### Standard, Professional, Enterprise


The system now allows conditional use of an LPR Configuration associated with the camera preset. With this option, the LPR Configuration will only work when the camera is positioned on the associated preset.

The image shows a configuration form for 'Activation type'. It has two radio button options: 'Continuous' (unselected) and 'Conditional by preset' (selected). Below the radio buttons is a dropdown menu with the text '0 - Preset 1' and a downward arrow.

#### 11.1.2.6 LPR processing via API key

##### Standard, Professional, Enterprise


Using the concept of a processing network, it is possible to have several Digifort VMS servers pointing to a set of external Digifort LPR servers, making it possible to offer Digifort LPR as a service (SaaS). To facilitate the management of this type of environment, a new API key registration functionality was added for the LPR server:



With the creation of such keys it is possible to determine the maximum number of sessions that each key gives access to, as well as what type of engine is available for that key. Once the LPR key is created, simply associate the key with the configuration on your VMS servers:

LPR Configuration registration

General Configurations Surrounding cameras Rights Events

 LPR Configuration registration

Name  
Test

Description  
Test

Camera  
RTSP DGF

Processing Type  
Process LPR in server

Media Profile  
Recording

Processing Network  
IP:localhost

Use SSL

API Key (If applicable)  
174FFEDA-A6E2-4A2A-9BFA-48BA7E156D38

LPR Engine  
 Carmen  
 Neural Labs  
 OpenALPR

Activation type  
 Continuous  
 Conditional by preset


Operation scheduling

Activate

OK Cancel

### 11.1.2.7 Option to fetch only the last record on the plate Standard, Professional, Enterprise


With this new functionality, it is possible to generate LPR reports without showing all the results for each plate, showing only the last record of the captured plate:



#### 11.1.2.8 Filter LPR results to LPR Bridge results only

##### Standard, Professional, Enterprise

This new filter will allow the user to filter the LPR search so that only results with a response from the LPR Bridge are displayed:



#### 11.1.2.9 View LPR Bridge results in the LPR report


**Standard, Professional, Enterprise**

The results received by the LPR Bridge are now displayed on an extra line in the LPR report.

#### 11.1.2.10 Option to enable or disable LPR events

**Standard, Professional, Enterprise**

As well as global events and other system objects it is now possible to enable or disable specific LPR events as well:




### 11.1.3 Events

#### 11.1.3.1 Dynamic object reference in alarm actions

##### All editions


It is now possible to configure the system so that the object sent in an event action (such as popups, bookmarks, email, etc) is dynamically assigned by the system itself. This new functionality greatly facilitates the configuration of large systems, making it possible for the administrator to configure several events in bulk so that each camera triggers the event already populated with the image referring to which camera triggered the event:



### 11.1.3.2 Event action for sending a push notification to the Digifort Mobile client


#### Standard, Professional, Enterprise

The new push notification feature for the mobile client provides a new notification method that can reach system operators directly on their smartphones, allowing incident response to be much more effective and dynamic, being able to be set for any type of event in the system (motion detection, recording failure, analytics, LPR, global events, etc.):




To configure the action, it is first necessary to register the devices to which the alerts will be sent. This can be done directly from the Administration Client Contacts screen:






The mobile device ID can be found directly in the Digifort Mobile Client application, going to the settings tab:



Once the device is registered, the respective contact group will be available for selection in the event action:




The system also allows you to select which action will be taken directly in the application, being able to choose between showing the live video from the camera or opening a playback session to play the recorded video, making the event even more accessible and easy to use.

### 11.1.3.3 Event action to trigger global event

#### Standard, Professional, Enterprise


With this new feature it is possible to make a single event trigger several global events simultaneously. This new feature will be great for systems where sending several emails, operator messages and the such are needed, as well as helping with alarm management.




#### 11.1.3.4 Event action for sending virtual matrix


##### Standard, Professional, Enterprise

This new feature will bring the possibility of replacing what is on the screen of any operator in the system, similar to the function of sending a pop-up but changing objects directly in the Surveillance Client interface without opening a second screen. This will make management a lot easier, especially for installations with videowalls and other stations without the presence of an operator.:




The system also allows triggering multiple simultaneous actions:






As well as sending views in addition to single objects:



### 11.1.3.5 Event action for sending playback loop

#### Standard, Professional, Enterprise

This new feature will make it even easier for operators when reviewing an event. It is now possible to configure the system so that a recording is displayed to the operator in an automated way, already bringing the amount of pre and post event time to better contextualize what happened:



### 11.1.3.6 Global Event rearm time

#### Standard, Professional, Enterprise

It is now possible to create a rearming time for Global Events, thus avoiding unnecessary sequential alarms and facilitating the handling of events by operators:



Global Event Registration

General Rights

Global Event Registration

Name  
test

Description  
test

Latitude Longitude  
0.000000 0.000000

Rearm Time  
0 Seconds

Configure Actions

Activate


OK Cancel

It is also possible to perform this configuration in bulk, without having to enter each of the events.


#### 11.1.3.7 New request types and additional headers for HTTP event action

##### Professional, Enterprise

HTTP requests now allow more request types (GET, POST, PUT, PATCH, DELETE, SUBSCRIBE, UNSUBSCRIBE and RENEW) and also the addition of additional headers:



The option to make multiple requests with a single event action has also been added:



### 11.1.3.8 Improvements and additions to event variables

#### All editions


Several improvements and new event variables were added, making the system even more accessible for integrations, allowing the extraction of values from variable lists, date and time, among others. Consult our technical support ([support@digifort.com](mailto:support@digifort.com)) for the complete documentation of the event variables.

### 11.1.4 Administration Client

#### 11.1.4.1 Duplicate system objects

#### All editions


The feature for duplicating the system's cameras has been expanded to cover all system objects (LPR, analytics, maps, etc.), facilitating managing large systems.



#### 11.1.4.2 Warning for insufficient number of licenses

##### All editions


The system will now show a warning if there are objects disabled due to lack of licenses:



#### 11.1.4.3 Option to delete recordings from camera to be deleted

##### All editions

The system will now open a popup with a message asking for confirmation to delete cameras in the system, in addition to allowing the administrator to delete the images from those cameras. This new function makes server management even easier, allowing disk management for situations where it is not necessary to keep recording history for cameras deleted from the system:



#### 11.1.4.4 Audit logging whenever a user views an image in the admin client

##### All editions

This new function details whenever a user views any system image from the admin client, including features such as preview, motion sensor configuration, image filters, etc.

Audit Record Details

Details

**i** Audit Record Details

Record Date	User	IP	
27/04/2022 13:49:57	admin	::1	
Event	Object Type	Object Name	Category
Viewed	Camera	SC8131	User action

Complement

Administration Client

Close

This will make the system audit process even more complete, making it possible to know when any image previews have been made.

#### 11.1.4.5 Compression switching in the media profile


##### All editions

When changing the video compression of a camera's media profile in the Administration Client, the system will now move unsaved settings to the new compression profile. Previously the system loaded saved settings which caused any unsaved changes to the video profile to be lost in the compression switch.

#### 11.1.4.6 Scroll bar for settings screen

##### All editions

The administration client now has a scrollbar to make it more accessible on smaller monitors:



#### 11.1.4.7 Removed Live View Username and Password

##### All editions

The Live View Username and Password (Found on the Live View tab in a camera's settings) have been removed. These credentials were only used when accessing the camera directly (with Relay disabled). The system will now use the login credentials provided on the General tab

#### 11.1.4.8 Display SSL connection on users screen

##### All editions


The connected users screen will now also display the connection type (SSL or not) of each user.

### 11.1.5 Surveillance Client

#### 11.1.5.1 New skin for the Surveillance Client

##### All editions

The Surveillance Client now has a new skin for the controls, providing a more modern and user-friendly interface. The system also allows switching between 2 themes with highlights in Blue or Orange:




### 11.1.5.2 Local alarm list in the surveillance client

#### All editions

This feature brings a new concept to the operation of the Digifort system, allowing operators to have real-time control of which events are being handled or have already been handled by the system, being unique for each workstation, making it clear and easy to view which alarms are still open and need attention:





The screenshot displays the Digifort Enterprise Surveillance Client interface. A central pop-up window titled "Global Event (Server: Local)" is open, showing the following details:


- Date / Time: Local (10/30/2022 5:58:25 PM) - Server (10/30/2022 5:58:25 PM)
- The global event Test was triggered by the user admin with IP 127.0.0.1. Message:
- Test event

Below the pop-up, a table lists recent events:

Time	Event Type	Event Name	Event Description	Object Type	Object Name	Object Description	Server	Observations	Status
10/30/2022 6:00:00 PM	Scheduled Event	Reboot Model Comm3	Scheduled event	Reboot CommFive	Reboot Model Comm...	Digifort	No		Closed
10/30/2022 5:58:25 PM	Global Event		Global event	Test	Local	Local	No		Open
10/30/2022 5:23:06 PM	Communication failure		Server	Local	Local	Local	No		Closed
10/30/2022 5:21:45 PM	Communication failure		Server	Digifort	Digifort	Local	No		Closed
10/30/2022 5:21:45 PM	Communication failure		Server	Local	Local	Local	No		Closed
10/30/2022 4:55:27 PM	Communication failure		Server	Local	Local	Local	No		Closed
10/30/2022 4:47:56 PM	Global Event		Global event	Test	Local	Local	No		Closed
10/30/2022 4:47:34 PM	Global Event		Global event	Test	Local	Local	No		Closed
10/30/2022 4:41:19 PM	Global Event		Global event	Test	Local	Local	No		Closed

The list not only allows you to easily view these events in detail, but also allows you to quickly reopen the events by double clicking directly on the list. Upon re-opening the event the system will re-trigger the actions taken, showing pop-ups, messages and other notifications to the operator.


Furthermore, the behavior of the list is completely customizable, allowing the operator to change the colors of the alarms, the time to keep the alarms in the list or the columns to be displayed:



### 11.1.5.3 Calendar with recording indication for video playback

#### All editions


Video playback with custom period or archived video playback now has a calendar for date selection, as well as information on which days have recordings:




#### 11.1.5.4 Screenstyle editor in surveillance client

##### All editions

This new feature will allow the operator to edit, delete or add new screenstyles directly from the surveillance client with a simple click on the lower toolbar:




Clicking on the add button the system will bring up a popup with the same ease of use already known from the administration client editor, just click and drag with the mouse to design the layout:



#### 11.1.5.5 Bookmarks in single-line in timeline

##### Professional, Enterprise

Multiple bookmarks from the same camera in the video player's timeline will now all appear on the same line.



#### 11.1.5.6 New shortcuts

##### All editions

Some shortcuts have been added to make operating the system even easier:

CTRL + SHIFT + F - Freeze live image of selected camera

Media Playback:

W - Sets the playback speed to 1x

S - Decreases playback speed

A - Reverse play and increase reverse play speed

D - Increases normal playback speed

Z - Rewinds one frame

X - Forward one frame

#### 11.1.5.7 Digital PTZ when freezing live image


**All editions**

When a live camera image is frozen, the system will now only allow the use of Digital PTZ. To use the camera's PTZ controls the image will need to be unfrozen first.

#### 11.1.5.8 Button to mute the audio of an alarm

**All editions**


Added a button for audio and pop-up events allowing the operator to mute the alarm audio:




#### 11.1.5.9 Local alert when connection to a server is lost

**All editions**

This new feature allows the user to configure a popup notifying when the notification with a server is lost, facilitating the management of installations with multiple servers.




It is also possible to configure which surveillance clients will have this option enabled:



#### 11.1.5.10 Option to automatically expand nodes in surveillance client object search

##### All editions

In previous versions, the system always performed the search within all nodes registered in the system. It will now be possible to disable this function so that the nodes are not automatically expanded:




### 11.1.5.11 Option to hide toolbars on inactivity

#### All editions

This new functionality brings the option to hide the surveillance client toolbars (Making the camera viewing pane full screen) in case of inactivity for a predetermined time. The option will be very useful for installations with videowalls and other low-interaction screens.





#### 11.1.5.12 Option to select all cameras in video export and motion search


##### All editions

Player now has option to select all cameras in selection list for export and motion search.

#### 11.1.5.13 Option to keep window focus on surveillance client

##### All editions

The system now allows the operator to control whether the window focus will be changed when a new alarm is triggered, being able to check this option so that the system does not take the focus away from any object search bar on a map, in the object list or other fields when an alarm is triggered.



#### 11.1.5.14 Automatically load cameras in Surveillance Client script


##### Enterprise

Added new function to automatically load cameras when the surveillance client is started via script. Consult our technical support ([support@digifort.com](mailto:support@digifort.com)) for more details on the surveillance client script.

#### 11.1.5.15 Support for Chromium Edge in the Surveillance Client browser

##### Standard, Professional, Enterprise

The system now allows the use of Microsoft Edge to view web pages in the Surveillance Client:



#### 11.1.5.16 Synchronization of events already acknowledged in the synoptic map


##### Standard, Professional, Enterprise

Synoptic maps will now reflect alerts that have already been acknowledged (closed) by the operator, ceasing the flashing of the alert on the map.

#### 11.1.5.17 Default map configuration option

##### Professional, Enterprise

Now in the surveillance client it is possible to select some options for the default loading of maps, such as size adjustments, shortcuts, night mode, etc:



#### 11.1.5.18 Persistent audio configuration in the surveillance client


##### All editions

The audio options (auto-selection and hear only devices on screen) will now be persistent, remaining as configured by the operator when the surveillance client is closed and reopened.

#### 11.1.5.19 Improved registration of plates in the surveillance client

##### Standard, Professional, Enterprise


The registration of license plates via the surveillance client has been improved for greater ease of use:



#### 11.1.5.20 Mute button pressed visual notification

##### All editions

The button to mute the surveillance client now turns red when activated, making it easier to see the action taken:



#### 11.1.5.21 Improved analytics filters

##### Standard, Professional, Enterprise

The system will now display only the filters that have at least a record in the database, instead of displaying all possible filters, thus facilitating the visualization and operation of the system.

#### 11.1.5.22 Reports

##### 11.1.5.22.1 New reports design

##### All editions

The reports generated by the surveillance client have been updated to have a more modern and bold design.



### ANALYTICS EVENTS LISTING

08/06/2022							
Start date	End date	Event	Object class	Zone	Camera	Rule	
08/06/2022 14:27:47	08/06/2022 14:27:47	Counting line - B	Unclassified	Line 0		RTSP DGF	
08/06/2022 14:27:55	08/06/2022 14:27:55	Counting line - B	Unclassified	Line 0		RTSP DGF	
08/06/2022 14:27:56	08/06/2022 14:27:56	Counting line - A	Unclassified	Line 1		RTSP DGF	
08/06/2022 15:49:43	08/06/2022 15:49:43	Direction	Person	Line 0		RTSP DGF	
08/06/2022 15:49:43	08/06/2022 15:49:43	Counting line - B	Unclassified	Line 0		RTSP DGF	
08/06/2022 15:49:43	08/06/2022 15:49:43	Counting line - B	Unclassified	Line 0		RTSP DGF	
08/06/2022 15:49:48	08/06/2022 15:49:48	Counting line - A	Unclassified	Line 1		RTSP DGF	
08/06/2022 15:52:07	08/06/2022 15:52:07	Direction	Person	Line 0		RTSP DGF	
08/06/2022 15:52:59	08/06/2022 15:53:02	Presence	Person	Zone 2		RTSP DGF	
08/06/2022 15:52:59	08/06/2022 15:53:02	Loitering	Person	Zone 2		RTSP DGF	
08/06/2022 15:53:04	08/06/2022 15:53:14	Presence	Person	Zone 2		RTSP DGF	
08/06/2022 15:53:04	08/06/2022 15:53:14	Loitering	Person	Zone 2		RTSP DGF	
08/06/2022 15:53:05	08/06/2022 15:53:05	Direction	Person	Line 0		RTSP DGF	
08/06/2022 15:53:06	08/06/2022 15:53:06	Counting line - B	Unclassified	Line 0		RTSP DGF	
08/06/2022 15:53:09	08/06/2022 15:53:09	Counting line - A	Unclassified	Line 1		RTSP DGF	
08/06/2022 15:54:00	08/06/2022 15:54:12	Presence	Person	Zone 2		RTSP DGF	
08/06/2022 15:54:00	08/06/2022 15:54:12	Loitering	Person	Zone 2		RTSP DGF	
08/06/2022 15:54:05	08/06/2022 15:54:05	Direction	Person	Line 0		RTSP DGF	
08/06/2022 15:54:05	08/06/2022 15:54:05	Counting line - B	Unclassified	Line 0		RTSP DGF	
08/06/2022 15:54:05	08/06/2022 15:54:05	Counting line - B	Unclassified	Line 0		RTSP DGF	
08/06/2022 15:54:09	08/06/2022 15:54:09	Counting line - A	Unclassified	Line 1		RTSP DGF	
08/06/2022 15:55:24	08/06/2022 15:55:31	Presence	Person	Zone 2		RTSP DGF	
08/06/2022 15:55:24	08/06/2022 15:55:31	Loitering	Person	Zone 2		RTSP DGF	

Digifort - IP Surveillance System


08/06/2022 17:26:21

Page 1 / 3

#### 11.1.5.22.2 Detailed bookmark search

### Professional, Enterprise

With this improvement, the system will now bring even more versatility when it comes to reviewing events, providing bookmark details directly on the search screen:



#### 11.1.5.22.3 Device name and address in the communication failure report

##### Standard, Professional, Enterprise

Added fields with the name and address (if the user has the rights to view this information) of the devices in question for the communication failure report:




DEVICE COMMUNICATION FAILURE		
Device: 10	- 10.1.39.228	
Failure date	Restored	Failure time
28/04/2022 14:19:13	28/04/2022 14:22:01	00:02:48

**Total failure time: 00:02:48**

#### 11.1.5.22.4 Searching global events by text

##### Standard, Professional, Enterprise

This new functionality will bring the possibility to search in reports looking directly for the text that was sent to the operator:



#### 11.1.5.22.5 Add Camera Bookmark to LPR or Analytics Objects

##### **Professional, Enterprise**


With this new feature it will be even easier for operators to create bookmarks, since now cameras that are on screen as part of an LPR or Analytics object will also be automatically included in the camera selection for the bookmark.

#### 11.1.5.22.6 Show name of I/O events in surveillance client reports

##### **Standard, Professional, Enterprise**

Now the system will display, in addition to the name of the I/O device, the name of the I/O events in the reports made by the surveillance client, bringing even more information and ease when managing the server.





Date	Event type	Event name	Device
9/4/2022 10:45:14 PM	Alarm input	Sensor_Porta_Vidro_Fechado	Automacao_1
9/4/2022 10:45:14 PM	Alarm input	Sensor_Porta_Fundos_Fechado	Automacao_1
9/4/2022 10:45:14 PM	Alarm input	Sensor_Portao_Social_Fechado	Commbox Automacao 2
9/4/2022 10:45:14 PM	Alarm input	Sensor_MezaninoAtivado	Commbox Automacao 2
9/4/2022 10:45:14 PM	Alarm input	Desativar LED Verde	CommBox Automacao 3
9/4/2022 10:45:14 PM	Alarm input	Sensor Porta Fechada	Commbox Casa Fundos
9/4/2022 10:45:14 PM	Alarm input	Sensor Porta Fechada	Commbox_Datacenter
9/5/2022 6:43:49 AM	Alarm input	Sensor_Portao_Social_Aberto	Commbox Automacao 2
9/5/2022 6:43:55 AM	Alarm input	Sensor_Portao_Social_Fechado	Commbox Automacao 2
9/5/2022 6:43:58 AM	Alarm input	Sensor_Porta_Vidro_Aberto	Automacao_1
9/5/2022 6:44:02 AM	Alarm input	Sensor_Porta_Vidro_Fechado	Automacao_1
9/5/2022 6:47:10 AM	Alarm input	Sensor_Porta_Fundos	Automacao_1
9/5/2022 6:47:13 AM	Alarm input	Sensor_Porta_Fundos_Fechado	Automacao_1
9/5/2022 6:54:28 AM	Alarm input	Sensor_Porta_Fundos	Automacao_1
9/5/2022 6:54:34 AM	Alarm input	Sensor_Porta_Fundos_Fechado	Automacao_1
9/5/2022 7:58:16 AM	Alarm input	Portao_Social	Automacao_1
9/5/2022 8:43:36 AM	Alarm input	Sensor Porta Aberta	Commbox Casa Fundos
9/5/2022 8:50:24 AM	Alarm input	Sensor Porta Aberta	Commbox_Datacenter
9/5/2022 9:11:37 AM	Alarm input	Portao_Social	Automacao_1
9/5/2022 9:20:39 AM	Alarm input	Portao_Social	Automacao_1
9/5/2022 9:23:29 AM	Alarm input	Portao_Social	Automacao_1
9/5/2022 9:31:55 AM	Alarm input	Portao_Social	Automacao_1
9/5/2022 9:32:04 AM	Alarm input	Portao_Social	Automacao_1
9/5/2022 11:57:54 AM	Alarm input	Portao_Social	Automacao_1
9/5/2022 11:59:38 AM	Alarm input	Portao_Social	Automacao_1
9/5/2022 12:14:12 PM	Alarm input	Botao_Porta_Vidro	Automacao_1

#### 11.1.5.22.7 Display device type in communication failure report

##### All editions

The system will now display the device type (camera, LPR, analytics, IO device, etc) in the communication failure report generated by the operator in the surveillance client.

#### 11.1.5.22.8 View snapshot in analytics reports

##### Standard, Professional, Enterprise

The system will now display a snapshot in analytics reports:

Analytics


Date Manage filters

Search Graphics Report

Start date	End date	Event	Object class	Zone	Camera	Rule
10/30/2022 12:32:45 PM	10/30/2022 12:32:46 PM	Presence	Unclassified	Zone 3	Las Vegas - Loop	
10/30/2022 12:32:45 PM	10/30/2022 12:32:45 PM	Counting line - B	Unclassified	Line 2	Las Vegas - Loop	
10/30/2022 12:32:46 PM	10/30/2022 12:32:46 PM	Counting line - B	Unclassified	Line 2	Las Vegas - Loop	
10/30/2022 12:32:46 PM	10/30/2022 12:32:46 PM	Counting line - B	Unclassified	Line 2	Las Vegas - Loop	
10/30/2022 12:32:46 PM	10/30/2022 12:32:46 PM	Counting line - B	Unclassified	Line 1	Las Vegas - Loop	
10/30/2022 12:32:47 PM	10/30/2022 12:32:47 PM	Counting line - B	Unclassified	Line 1	Las Vegas - Loop	
10/30/2022 12:32:53 PM	10/30/2022 12:33:30 PM	Presence	Group of people	Zone 3	Las Vegas - Loop	
10/30/2022 12:32:54 PM	10/30/2022 12:32:59 PM	Presence	Unclassified	Zone 3	Las Vegas - Loop	
10/30/2022 12:32:56 PM	10/30/2022 12:32:56 PM	Counting line - A	Unclassified	Line 2	Las Vegas - Loop	
10/30/2022 12:33:00 PM	10/30/2022 12:33:16 PM	Presence	Person	Zone 3	Las Vegas - Loop	
10/30/2022 12:33:00 PM	10/30/2022 12:33:01 PM	Presence	Unclassified	Zone 3	Las Vegas - Loop	

Search Print Video

Details of the selected record



Close

Search complete Total records: 156

**ANALYTICS EVENTS LISTING**

Start date	End date	Event	Object class	Zone	Camera	Rule	Snapshot
10/30/2022 12:33:00 PM	10/30/2022 12:33:01 PM	Presence	Unclassified	Zone 3	Las Vegas - Loop		
10/30/2022 12:33:00 PM	10/30/2022 12:33:16 PM	Presence	Person	Zone 3	Las Vegas - Loop		
10/30/2022 12:33:05 PM	10/30/2022 12:33:07 PM	Presence	Unclassified	Zone 3	Las Vegas - Loop		

Authentication code  
  
 EB85-58DF-30C2-2012-44C4-BAE8-8D5A-2F40


Digifort - IP Surveillance System  
 10/30/2022 5:44:00 PM  
 Page 4 / 67

### 11.1.5.23 Maps


#### 11.1.5.23.1 Locate objects on map

##### Standard, Professional, Enterprise


With this new feature, it will be even easier and more dynamic to work with maps in the Digifort system. The operator can now select any camera that is on screen and use the "locate on map" function, causing the system to open maps that have this object and it will already be displayed prominently, facilitating the location of alarmed objects on maps with large density of objects:



Working with both synoptic maps:




As operational maps:



#### 11.1.5.23.2 Address bar for operational maps

### Professional, Enterprise

It is now possible to browse the operational map in the monitoring client using the address bar available at the top of the map on the operator screen, making it even easier to view events:




### 11.1.5.23.3 Object filter for operational maps

#### Professional, Enterprise

With this new field, the operator will be able to filter which objects will be displayed on the map, working in a similar way to the surveillance client's search for objects, being available in the upper right corner of the map:








## 11.1.6 Failover

### 11.1.6.1 Failover self-healing system

#### Enterprise

The self-healing system present in the system has been expanded so that it also receives recordings from a Digifort Failover server as a data source, thus allowing the system to download and merge recordings from a failover server to the main server automatically, simply selecting the data source to be used in each camera:



With this new functionality, the reproduction of images from the moment the main server crashes will be even easier and more accessible for all operators.


### 11.1.6.2 Automatic synchronization of failover objects

#### Enterprise

This new feature will make managing high availability environments even easier. Enabling the option will make the objects selected for activation/deactivation in the failover/failback process reflect any changes made to the main server. That is, if a camera registered on the main server undergoes a change of description, address, etc, it will not be necessary to make the change also on the failover server as the system will automatically reflect the change.:

Failover server monitor ✕

Monitor

 Failover server monitor


---

Name

Description

Server address  Port

"ADMIN" user password

Latitude  Longitude  

Configure the actions to be executed when the monitored server stops working or returns to normal operation

Automatically synchronize selected objects for activation

Activate

## 11.1.7 Cybersecurity


### 11.1.7.1 Option to force user to change password on first login

#### All editions

This new option makes the system even more secure, forcing the user to create (or change) the password on the first login:

User registration ✕

Ownership identification Memo Groups view Rights View  
Account Biopass Rights Client Policies

 User account

---

User Password Confirm

User Description

Login times Login IPs

Block account after login attempts with wrong password

Login attempts:  
3

User Type

Digifort user  
 Active Directory user

User Account Options:

Account blocked  
 User can't change the password  
 Force the user to change the password in the next login

Account Expiration

Never  
 Expires in:  
Tuesday , 26 April 2022

Authentication

Method  
Username and password

OTP (One-Time Password) Key


OK Cancel

### 11.1.7.2 Advanced HTTP/RTSP/RTP protocol options

#### All editions

By default the system always tries the authentication first using the basic method, and if this authentication doesn't work the system automatically tries the Digest method. With this configuration it is possible to force the system to send the Digest method first, and only in case it fails to try with the

Basic method. This will bring even more security to critical systems. In addition to that, it is also possible to configure the system so that the RTP timestamp is used instead of the operating system timestamp..



### 11.1.7.3 Email with TLS 1.2

#### All editions

The feature to send emails through the system now supports TLS 1.2 (in addition to TLS 1.0 and TLS 1.1).

### 11.1.7.4 Software signature (Codesign)

#### All editions

Now the installation of Digifort is already signed so that it is compatible with information security standards, ensuring even more security in the system's installations.

## 11.1.8 General improvements and features

### 11.1.8.1 Expanding the number of channels for Standard and Professional editions

#### Standard, Professional


The system now allows the registration of up to 64 channels in the Standard edition and 128 channels in the Professional edition, a 100% increase in the number of available channels compared to previous versions, without any update cost for customers who already have the version 7.X. With this change, the system becomes even more accessible and comprehensive, remaining consistent with the infrastructure advances in the area.

### 11.1.8.2 Custom objects for operational maps


#### Professional, Enterprise

With this new feature, it is now possible to create customized objects for operational maps, making it easier for the operator to visualize the type of object, being able to differentiate between different types of vehicles, cameras, locations, or any other type of object displayed by the system. The position of these objects on the map can also be dynamically updated through the server API, allowing advanced integration with external systems to display the live position of different types of objects on operational maps.

The configuration is extremely simple, just add the objects to be customized directly in the administration client:




To select the icon, just click on the icon image and select the icon from the vast library provided by the system:




Once the icon is selected, the system will update the previous screen according to the selection. On this same screen it is possible to select which object will be changed, add HTML notes that will be displayed on the map:

Custom Operational Map Object

General Linked Maps Rights


 Custom Operational Map Object



---

Icon 

Name

Description

Latitude  Longitude  

Linked Object   

Notes (HTML to display on map)


Always view the notes on the map (Below the object)

Activate

OK Cancel

It is also possible to select on which maps the change will be displayed by going to the linked maps tab:






This will make even easier to understand the environment and elements involved in any event.

### 11.1.8.3 Master/slave synchronization for operational maps

#### Professional, Enterprise


In the master/slave architecture it is now possible to also synchronize operational maps between servers:



#### 11.1.8.4 Option to ignore I/O initial state

##### Standard, Professional, Enterprise


This option allows the administrator to configure the system so that the initial state of an I/O port is ignored, thus preventing accidental triggering of new configured events:



#### 11.1.8.5 Minimum motion duration

##### All editions


The system now has a minimum motion duration setting for the system to consider as the start of motion.



#### 11.1.8.6 Automatic reloading of web pages

##### Standard, Professional, Enterprise

Some web systems require a reload to display new information or updates on the page. With this function, the system is now prepared to do this automatically, being able to choose between reloading the address that was registered in the administration client or reloading on the page where the operator is currently (if he has navigated through the page):



Web Page Registration

General Rights

Web Page Registration

Name

Description

URL

Automatic Reload

Reload Type

Default Page

Interval

60 Seconds

Activate

OK Cancel

#### 11.1.8.7 Rename global events

##### All editions


The system was changed internally so that the indexing of objects is done from a new record called DUID, thus allowing to change the name of global events, providing greater ease in the administration of events.

#### 11.1.8.8 Option to reset write failure event

##### Standard, Professional, Enterprise

In a Digifort system configured to trigger recording failure and restore events, it is possible to configure a reset time for this event, but whenever a recording restore event occurs, this timer is reset.

Despite being a desirable behavior, there are cases where the server's recording system can present oscillations (such as controller failures, loss of connection to NAS-type systems, etc.), which can end up generating an excess of alerts and making managing events more difficult. By deselecting this option, the administrator can uncouple this timer, making both the recording restoration event and the failure event abide to the time configured in the system:




With this new feature the recording failure event can now cover more specific scenarios where the recording system works intermittently

#### 11.1.8.9 Download recorded video when creating bookmark

##### Professional, Enterprise

Using this option the system will download the edge recordings as soon as a bookmark is created in a camera, thus giving an extra recording control option to the system users.



#### 11.1.8.10 System Archiving Logs


##### Professional, Enterprise

The system will now include archiving copy and delete logs so that the entire archive recycling process is easily auditable.

#### 11.1.8.11 Option to write pre-alarm buffer immediately

##### All editions

This new feature allows the system to record images from the pre-alarm buffer immediately, instead of the "queue" system that is used by default. It is interesting to use this new option for cases where the system is configured to send recording playback actions in cameras that are about to record by motion or event, so that the system does not need to wait for the pre-buffer recording, which will be done instantly .



#### 11.1.8.12 OTP Authentication reuse

##### All editions

Administration and Surveillance Clients will reuse the OTP (One Time Password) authentication code between servers, as long as the code is valid, to avoid asking the user for the code multiple times. This change is particularly useful in the Administration Client to allow quick login to multiple servers that share the same user base (Master / Slave).

#### 11.1.8.13 Authentication reuse for map configuration and object link


##### All editions

In the Administration Client, server authentication will be reused when configuring maps or object links when accessing multiple registered servers.

#### 11.1.8.14 Service architecture selection in service manager

##### All editions

It is now possible to select the type of installation (32 or 64 bits) of the system services directly through the Digifort service manager, without having to manipulate the files in the installation folder:




#### 11.1.8.15 Open file location from service manager

##### All editions

This new feature makes it possible to open the location where the selected service is installed directly by the Digifort service manager. To do so, just right-click on the desired service:





#### 11.1.8.16 MP4 Export Improvements

##### All editions

When exporting an MP4 file, if the source video is not in H.264 format, the system will automatically transcode to H.264 for greater playback compatibility.

NOTE: This process may slow down the export.

#### 11.1.8.17 ONVIF profile certification

##### All editions

Now in addition to the existing profiles (G and S) the system also has the ONVIF Profile T

Digifort IP Surveillance System		Client		G S T		7.3.0.2		2021-03-17	
01	Application type: Client				Product name: Digifort IP Surveillance System				
	Model: Digifort IP Surveillance System								
	Related products: <i>Not Applicable</i> ● Related Products have not been individually tested.								
	Test date: 2021-03-17				Version: 7.3.0.2				
	Profiles: G S T				Category: Video Management System				
	<a href="#">FeatureList</a>			<a href="#">DoC</a>			<a href="#">Interface Guide</a>		

#### 11.1.8.18 Edge recording download system with timeout and number of attempts


##### Professional, Enterprise

To avoid bottlenecks and crashes, the system now has a maximum number of download attempts and a timeout for this process.

#### 11.1.8.19 Option to activate or deactivate WEB pages

##### Standard, Professional, Enterprise

Web pages now have the option to activate or not the objects:



#### 11.1.8.20 Synchronization of the image to be processed on the Analytics and LPR servers

##### Standard, Professional, Enterprise

The system will now only consider the time of the Digifort server, avoiding possible synchronization errors between the Digifort server and the other servers.

#### **11.1.8.21 Added camera description for LPR reports**

##### **Standard, Professional, Enterprise**

The LPR report will now display the description of the camera where the LPR capture was taken.

#### **11.1.8.22 General performance improvements**

##### **All editions**

Added more multi-threading support to the system, internal architectures, etc., providing greater stability and performance to the system.

#### **11.1.8.23 Archiving error emails**

##### **Professional, Enterprise**

In case of archiving error, the server will now only send 1 error email per day (per camera). Previously the system could send error emails to all cameras every 10 minutes, which could generate a very large volume of error emails.

#### **11.1.8.24 Settings backup improvements**

##### **All editions**

When starting the server, the system will now check if a previous backup from the same day already exists, if so, the system will not perform the backup. Previously the system backed up settings and database (when starting the server service) unconditionally.

#### **11.1.8.25 Update on Chromium version**

##### **All editions**

The Chromium embedded in the software is now updated to version 102.0.5005.115

#### **11.1.8.26 Change of system font**

##### **All editions**

The font used in the system interface was standardized to Segoe UI 9px.

#### **11.1.8.27 Sent email log name changed to "Emails and notifications sent"**

##### **All editions**

The name of the sent e-mails log has been changed to e-mails and notifications sent, reflecting new system functionality.

#### **11.1.8.28 Shortcut to 64bit surveillance client**

##### **All editions**

The installer will now also create a shortcut to the 64-bit surveillance client.

#### **11.1.8.29 Micro services for Device Cloud Bridge**

##### **All editions**

A micro service was created to facilitate the management of the Device Cloud Bridge, bringing more stability to the system.

#### **11.1.8.30 Hide object links for users without rights to that object**

**Professional, Enterprise**

Now if the user does not have rights to the object, the corresponding link will not be displayed.

#### **11.1.8.31 Access to recording audio will reflect user rights**

**All editions**

With this change, a user who does not have rights to listen to a camera will also not be able to access the recorded audio.

#### **11.1.8.32 Machine code stabilization**

**All editions**

Changed some methods in server machine code management to make it more difficult for changes to the operating system to cause a machine code change.

#### **11.1.8.33 Dynamic update of objects in the synoptic map**

**Standard, Professional, Enterprise**

The synoptic map now updates in real time the status of objects activated or deactivated in the system, bringing more ease and agility to the response of operators.

#### **11.1.8.34 Improved playback performance**

**All editions**

Playback rendering performance has been improved to provide a smoother video playback experience for the user.

#### **11.1.8.35 Improved CSV export performance**

**All editions**

Several improvements have been made to the CSV export, making it even faster and easier to generate reports.

#### **11.1.8.36 Improved RTSP server**

**All editions**

The system's built-in RTSP server has been improved to make starting media faster and more fluid.

#### **11.1.8.37 Adjustment of empty plates display for LPR**

**Standard, Professional, Enterprise**

The system will now discard empty LPR plates for edge LPR drivers.

#### 11.1.8.38 Popup sync with snapshot for LPR and Analytics events

##### Standard, Professional, Enterprise

The system will now consider the event trigger time to populate the snapshot to be sent to the operators, thus avoiding cases where a possible delay in the client's infrastructure could cause the snapshot to come without the event of interest.

#### 11.1.8.39 Added new Neural Labs redistrib to installer

##### Standard, Professional, Enterprise

The installation package now includes new redistributables used by Neural Labs, providing a faster and safer installation.

#### 11.1.8.40 Edge Chromium added on system installation

##### All editions

The installation of Digifort is now included with the Edge Chromium browser for installation.

#### 11.1.8.41 Events on the Operational Map

##### Professional, Enterprise

Events displayed on the Operational Map will no longer contain a random GPS position (a few meters) added to the event coordinate.

#### 11.1.8.42 Architectural indication on server information screen

##### All editions

The system now displays the type of architecture (32/64 bits) of the Digifort service on the server information screen.

**Information about the Server**  
This screen supplies real time information about your server, such as processor usage, memory, bandwidth, etc...

Information | **Disk Usage** | Master / Slave | Failover | Server Monitoring

**Server Version:** 7.4.0.0 32bit Dev 14 (5/24/2022)  
**Local Server Time:** 08/06/2022 17:53:17  
**Server Time in UTC:** 08/06/2022 20:53:17  
**Active Time:** 2 Hour(s), 5 Minute(s) and 43 Second(s)

**Global Processor Utilization:** 8%  
**Memory Utilization by Server:** 49 MB  
**Global Memory Utilization:** 9225 MB  
**Opened Connections:** 2 Connection(s)  
**Logged-in Clients:** 1 Client(s)

#### 11.1.8.43 Improved performance of the ONVIF tour

##### All editions

The PTZ ONVIF driver has been optimized for better performance.

#### 11.1.8.44 Multi-threading for Analytics drivers

##### Standard, Professional, Enterprise

Improved the multi-threading system for analytics drivers, providing better system performance.

#### 11.1.8.45 Improved LPR and Analytics load balancing

##### Standard, Professional, Enterprise

The load balancer (Across LPR or Analytics servers) has been improved to better distribute the processing load between servers. A configuration will now migrate to another server when:

- Another server is under 30% load and the current server is below 80% usage
- Another server is under 20% less load and the current server is between 80% and 95% usage
- Another server is under 10% less load and the current server is above 95% usage

### 11.1.9 Video Synopsis

#### 11.1.9.1 Integration with Video Synopsis V5

##### Professional, Enterprise

The system is now optimized for handling simultaneous events from the Video Synopsis V5 Respond module.

## 11.2 New supported devices

### 11.2.1 Media Devices

360 Vision Predator HD X40  
3S Security N232  
3S Security N245  
3S Security N248  
3S Security N5017  
3S Security N5018-36x  
3S Security N6051SM-AI  
3S Security NZ12E  
ACTi Z34  
ACTi Z95  
Alpha-Digi PCAM2020  
Alpha-Digi PCAM2020P  
Alpha-Digi PCAM2020PN  
Alpha-Digi TCAM2021  
Alpha-Digi TCAM2021S  
Alpha-Digi TCAM2025S  
Alpha-Digi TCAM2025SN  
Arecont AV5456PMIR-S  
ARH EINAR  
ARH Vidar Smart

Avigilon 1.3C-H5SL-BO1-IR  
Avigilon 1.3C-H5SL-D1  
Avigilon 1.3C-H5SL-D1-IR  
Avigilon 1.3C-H5SL-DO1-IR  
Avigilon 2.0C-H5A-B2  
Avigilon 2.0C-H5A-BO1-IR  
Avigilon 2.0C-H5A-BO2-IR  
Avigilon 2.0C-H5A-D1  
Avigilon 2.0C-H5A-D1-IR  
Avigilon 2.0C-H5A-D2  
Avigilon 2.0C-H5A-DC1  
Avigilon 2.0C-H5A-DC1-IR  
Avigilon 2.0C-H5A-DC2  
Avigilon 2.0C-H5A-DO1  
Avigilon 2.0C-H5A-DO1-IR  
Avigilon 2.0C-H5A-DO2  
Avigilon 2.0C-H5A-DP1  
Avigilon 2.0C-H5A-DP1-IR  
Avigilon 2.0C-H5A-DP2  
Avigilon 2.0C-H5SL-BO1-IR  
Avigilon 2.0C-H5SL-D1  
Avigilon 2.0C-H5SL-D1-IR  
Avigilon 2.0C-H5SL-DO1-IR  
Avigilon 3.0C-H5SL-BO1-IR  
Avigilon 3.0C-H5SL-BO2-IR  
Avigilon 3.0C-H5SL-D1  
Avigilon 3.0C-H5SL-D1-IR  
Avigilon 3.0C-H5SL-DO1-IR  
Avigilon 4.0C-H5A-B2  
Avigilon 4.0C-H5A-B3  
Avigilon 4.0C-H5A-BO1-IR  
Avigilon 4.0C-H5A-BO2-IR  
Avigilon 4.0C-H5A-D1  
Avigilon 4.0C-H5A-D1-IR  
Avigilon 4.0C-H5A-D2  
Avigilon 4.0C-H5A-DC1  
Avigilon 4.0C-H5A-DC1-IR  
Avigilon 4.0C-H5A-DC2  
Avigilon 4.0C-H5A-DO1  
Avigilon 4.0C-H5A-DO1-IR  
Avigilon 4.0C-H5A-DO2  
Avigilon 4.0C-H5A-DP1  
Avigilon 4.0C-H5A-DP1-IR  
Avigilon 4.0C-H5A-DP2  
Avigilon 5.0C-H5A-BO2-IR  
Avigilon 5.0C-H5A-DO2  
Avigilon 5.0C-H5A-DP2  
Avigilon 5.0C-H5SL-BO1-IR  
Avigilon 5.0C-H5SL-BO2-IR  
Avigilon 5.0C-H5SL-D1  
Avigilon 5.0C-H5SL-D1-IR  
Avigilon 5.0C-H5SL-DO1-IR  
Avigilon 6.0C-H5A-B2

Avigilon 6.0C-H5A-BO1-IR  
Avigilon 6.0C-H5A-D1  
Avigilon 6.0C-H5A-D1-IR  
Avigilon 6.0C-H5A-DC1  
Avigilon 6.0C-H5A-DC1-IR  
Avigilon 6.0C-H5A-DO1  
Avigilon 6.0C-H5A-DO1-IR  
Avigilon 6.0C-H5A-DP1  
Avigilon 6.0C-H5A-DP1-IR  
Avigilon 8.0C-H5A-B2  
Avigilon 8.0C-H5A-BO1-IR  
Avigilon 8.0C-H5A-D1  
Avigilon 8.0C-H5A-D1-IR  
Avigilon 8.0C-H5A-DC1  
Avigilon 8.0C-H5A-DC1-IR  
Avigilon 8.0C-H5A-DO1  
Avigilon 8.0C-H5A-DO1-IR  
Avigilon 8.0C-H5A-DP1  
Avigilon 8.0C-H5A-DP1-IR  
Avigilon ACC  
Axis A8207-VE  
Axis C1004-E  
Axis C1210-E  
Axis C1211-E  
Axis C1310-E  
Axis C1410  
Axis D2110-VE  
Axis D4100-E  
Axis I8016-LVE  
Axis M1065-L  
Axis M1134  
Axis M1135 Mk II  
Axis M1135-E  
Axis M1135-E Mk II  
Axis M1137 Mk II  
Axis M1137-E  
Axis M1137-E Mk II  
Axis M2026-LE  
Axis M2035-LE  
Axis M2036-LE  
Axis M3016  
Axis M3057-PLVE Mk II  
Axis M3065-V  
Axis M3068-P  
Axis M3075-PLVE  
Axis M3085-V  
Axis M3086-V  
Axis M3205-LVE  
Axis M4206-V  
Axis M4216-LV  
Axis M4308-PLE  
Axis M5000  
Axis M5000G



Axis M5065  
Axis M5074  
Axis M5075  
Axis M5075-G  
Axis M7104  
Axis M7116  
Axis P1280-E  
Axis P1364  
Axis P1364-E  
Axis P1365-E Mk II  
Axis P1367-E  
Axis P1375-E  
Axis P1377  
Axis P1377-LE  
Axis P1445-LE  
Axis P1445-LE-3  
Axis P1455-LE  
Axis P1455-LE-3  
Axis P1465-LE  
Axis P1467-LE  
Axis P1468-LE  
Axis P3224-LV Mk II  
Axis P3224-V Mk II  
Axis P3225-V Mk II  
Axis P3225-VE Mk II  
Axis P3228-LV  
Axis P3235-LV  
Axis P3245-LV  
Axis P3245-LV-3  
Axis P3247-LE  
Axis P3247-LV  
Axis P3247-LVE  
Axis P3248-LV  
Axis P3248-LVE  
Axis P3255-LVE  
Axis P3265-LV  
Axis P3265-LVE  
Axis P3265-V  
Axis P3267-LV  
Axis P3267-LVE  
Axis P3268-LV  
Axis P3268-LVE  
Axis P3375-LV  
Axis P3375-LVE  
Axis P3715-PLVE  
Axis P3727-PLE  
Axis P3818-PVE  
Axis P3904-R Mk II  
Axis P3905-R Mk II  
Axis P3915-LR  
Axis P3915-LRE  
Axis P3925-R  
Axis P5514

Axis P5514-E  
Axis P5515  
Axis P5515-E  
Axis P5654-E  
Axis P7304  
Axis P7316  
Axis P8804  
Axis P8815-2 3D People Counter  
Axis Q1615 Mk III  
Axis Q1615-LE Mk II  
Axis Q1645-LE  
Axis Q1647  
Axis Q1656  
Axis Q1656-B  
Axis Q1656-BE  
Axis Q1656-BLE  
Axis Q1656-LE  
Axis Q1659  
Axis Q1715  
Axis Q1765  
Axis Q1765-LE PT Mount  
Axis Q1785  
Axis Q1798-LE  
Axis Q1941-E PT Mount  
Axis Q1942-E PT Mount  
Axis Q1951-E  
Axis Q1952-E  
Axis Q2901-E PT Mount  
Axis Q3504-V  
Axis Q3504-VE  
Axis Q3505-SVE Mk II  
Axis Q3515-LV  
Axis Q3517-LV  
Axis Q3517-LVE  
Axis Q3517-SLVE  
Axis Q3518-LVE  
Axis Q3527-LVE  
Axis Q3536-LVE  
Axis Q3538-LVE  
Axis Q3819-PVE  
Axis Q6010-E  
Axis Q6054 Mk III  
Axis Q6054-E Mk II  
Axis Q6055-C  
Axis Q6055-S  
Axis Q6074  
Axis Q6075  
Axis Q6075-S  
Axis Q6075-SE  
Axis Q6078-E  
Axis Q6100-E  
Axis Q6135-LE  
Axis Q6215-LE

Axis Q6225-LE  
Axis Q6315-LE  
Axis Q7424-R Mk II  
Axis Q7436 Blade  
Axis Q8641-E  
Axis Q8642-E  
Axis Q8685-E  
Axis Q8685-LE  
Axis Q8741-E  
Axis Q8741-LE  
Axis Q8742-LE  
Axis Q8752-E  
Axis V5925  
Axis V5938  
Axis XF40-Q1785  
Axis XF40-Q2901  
Axis XF60-Q1765  
Axis XF60-Q2901  
Axis XP40-Q1785  
Axis XP40-Q1942  
Axis XPQ1765  
Bosch DINION IP starlight 8000 MP  
Bosch Dinion NBE-7604-AL-OC  
Bosch NBN-80052-BA  
Bosch NDE-3502-AL  
Bosch NDV-3502-F02  
Bosch NTV-3502-F02L  
Bycon BCB-LE360003 IPSD  
Bycon BCD-LE28000 IPFH  
Bycon BCD-LE280003 IPSD  
Bycon BCD-LE281203 IP  
Bycon BSD-LE220002 IP  
Control ID iDFace  
CP Plus CP-UNC-TG41ZL6-DF  
CP Plus CP-VNR-3864  
Cygnus IPC-4K-FEYE-MA  
Cygnus IPC-4M-BUZI-MA  
Cygnus IPC-4M-DWS  
Cygnus NVR716-128-IVS  
Cygnus PTZ-2M-22XUW-AT  
CYTech CY-H9432  
Dahua 49425XBNR  
Dahua DHI-ASI3214A-W  
Dahua DHI-HCVR5104HS-NT  
Dahua DH-IPC-EBW81242N-AS-S2  
Dahua DH-IPC-HDBW2531E-S-S2  
Dahua DH-IPC-HDBW4231E-ASE  
Dahua DH-IPC-HDBW5241EP-ZE  
Dahua DH-IPC-HFW1230SN-280B-S2  
Dahua DH-IPC-HFW2231M-AS-I2-B-S2  
Dahua DH-IPC-HFW2431SN-S-S2  
Dahua DH-IPC-HFW2831T-AS-S2  
Dahua DH-IPC-HFW2831TN-ZAS-S2

Dahua DH-IPC-HFW3241TN-ZAS  
Dahua DH-IPC-HFW3541TN-ZAS  
Dahua DH-IPC-HFW5241EP-Z12E  
Dahua DH-IPC-HFW5241EP-Z5E  
Dahua DH-IPC-HFW5241E-Z5E  
Dahua DH-IPC-HFW5242TN-ASE-MF  
Dahua DH-IPC-HFW5242TP-ASE-MF  
Dahua DH-IPC-HFW7442HP-ZFR  
Dahua DHI-TPC-KF2241  
Dahua DHI-VTA8111A  
Dahua DHI-VTA8111A-4  
Dahua DHI-VTO2111D-WP  
Dahua DHI-VTO2201F-P  
Dahua DHI-VTO2202F-P  
Dahua DH-SD49225T-HN-S2  
Dahua DH-SD49225XA-HNR-S2  
Dahua DH-SD50232XA-HNR  
Dahua DH-SD5A232XAN-HNR  
Dahua DH-SD5A2332XAN-HNR  
Dahua DH-SD5A425XA-HNR  
Dahua DH-SD65F233XAN-HNR  
Dahua DH-SD8A440XA-HNR  
Dahua DH-TPC-BF3221-T  
Dahua DH-TPC-BF3221-T light  
Dahua DH-TPC-BF5421-TB  
Dahua DH-TPC-BF5421-TD  
Dahua DH-TPC-DF1241N-D2F2  
Dahua DH-XVR4216AN-X  
Dahua DH-XVR4232AN-X  
Dahua EVS7124S  
Dahua IPC-HDBW2221RN-VFS  
Dahua IPC-HDBW2231R-ZS  
Dahua IPC-HDBW2431E-S-S2  
Dahua IPC-HDBW5241FP-M-DAE-SA  
Dahua IPC-HDW2431T-ZS-S2  
Dahua IPC-HEW5241EP-Z12E  
Dahua IPC-HFW2431T-ZS-S2  
Dahua IPC-HFW2831T-ZAS-S2  
Dahua IPC-HFW5231E-ZE  
Dahua IPC-HFW5241E-ZE  
Dahua IPC-HFW5849T1-ASE-LED  
Dahua IPC-HFW7442HN-Z  
Dahua IPC-HFW7442H-ZFR  
Dahua ITC215-PW6M-(IR)LZF  
Dahua ITC215-PW6M-(IR)LZF-B  
Dahua ITC215-PW6M-(IR)LZF-O  
Dahua MXVR 1004-GFW  
Dahua N42BJ62  
Dahua N88BR5V  
Dahua PFR4K-D300  
Dahua PFR4K-D450  
Dahua SD50432XA-NR  
Dahua SD5A232XA-HNR

Dahua SD5A232XB-HNR  
Dahua SD5A245XA-HNR  
Dahua SD5A432XA-HNR  
Dahua SD8A440-HNF  
DivioTec TBR-9xx  
DKseg DVR-4216TP-6  
Dynacom NHQ536IR  
Dyno DYDRH-16M21-H1  
EagleVision EN-R3ASV2F4P  
EagleVision EN-R4ASV2V2P  
EagleVision EN-R4DPSV4F2P  
EagleVision ENVA-8116P16  
EagleVision ENVA-8216P16  
EagleVision ENVA-8216P8  
EagleVision ENVA-8232P16  
EagleVision ENVD-DL214P  
EagleVision ENVD-DL214S  
EagleVision ENVD-P4208N  
EagleVision ENVD-P4208P  
EagleVision ENVD-P4216N  
EagleVision ENVD-P4216P  
EagleVision ENVD-P4232N  
EagleVision ENVD-P4232P  
Elbex V210  
EuroNexus NVRD898POE  
Ezviz CS-C3N  
Flir A310  
Flir A310f  
Flir A310pt  
Flir A400  
Flir A50  
Flir A500  
Flir A70  
Flir A700  
Flir PT-602CZ HD  
Flir PT-625 HD  
Frahm FIP302BP36  
Frahm FIP302DP36  
Frahm FIP405BMVAR  
Frahm FIP405BMVARMT  
Giga GS0119  
Giga GS0121  
Giga GS0122  
Giga GS0369  
Giga GS0370  
Giga GS0373  
Giga GS0374  
Giga GS0375  
Grandstream GSD3710  
Hanwha Techwin HRX-1620  
Hanwha Techwin HRX-1635  
Hanwha Techwin PNB-A9001  
Hanwha Techwin PND-A6081RV

Hanwha Techwin PNM-7002VD  
Hanwha Techwin PNM-8082VT  
Hanwha Techwin PNM-9000QB  
Hanwha Techwin PNM-9002VQ  
Hanwha Techwin PNM-9022V  
Hanwha Techwin PNM-9031RV  
Hanwha Techwin PNM-9084QZ  
Hanwha Techwin PNM-9084RQZ  
Hanwha Techwin PNM-9085RQZ  
Hanwha Techwin PNM-9322VQP  
Hanwha Techwin PNM-C12083RVD  
Hanwha Techwin PNM-C7083RVD  
Hanwha Techwin PNM-C9022RV  
Hanwha Techwin PNO-A6081R  
Hanwha Techwin PNO-A9081R  
Hanwha Techwin PNV-A9081R  
Hanwha Techwin PRN-4011  
Hanwha Techwin QND-6021  
Hanwha Techwin QND-7022R  
Hanwha Techwin QNE-6080RV  
Hanwha Techwin QNE-8021  
Hanwha Techwin QNO-6012R  
Hanwha Techwin QNO-6022R  
Hanwha Techwin QNO-6032R  
Hanwha Techwin QNP-6250H  
Hanwha Techwin QNP-6320R  
Hanwha Techwin QNV-6012R  
Hanwha Techwin QNV-6023R  
Hanwha Techwin QNV-6032R  
Hanwha Techwin QNV-6084R  
Hanwha Techwin SNB-7004  
Hanwha Techwin SND-6084  
Hanwha Techwin SND-6084R  
Hanwha Techwin SND-L6083R  
Hanwha Techwin SNP-6230  
Hanwha Techwin SNP-6230RH  
Hanwha Techwin SNP-L5233  
Hanwha Techwin SNV-L6013R  
Hanwha Techwin SPE-1630  
Hanwha Techwin SRN-4000  
Hanwha Techwin TID-600R  
Hanwha Techwin TNB-6030  
Hanwha Techwin TNO-4041T  
Hanwha Techwin TNO-6010M  
Hanwha Techwin TNV-8010C  
Hanwha Techwin XNB-6002  
Hanwha Techwin XNB-8002  
Hanwha Techwin XNB-9002  
Hanwha Techwin XND-6083RV  
Hanwha Techwin XND-8080  
Hanwha Techwin XND-8081RE  
Hanwha Techwin XND-8082RF  
Hanwha Techwin XND-8082RV

Hanwha Techwin XND-8083RV  
Hanwha Techwin XND-9082RF  
Hanwha Techwin XND-9082RV  
Hanwha Techwin XND-9083RV  
Hanwha Techwin XNF-9010RV  
Hanwha Techwin XNF-9013RV  
Hanwha Techwin XNO-6123R  
Hanwha Techwin XNO-8082R  
Hanwha Techwin XNO-9082R  
Hanwha Techwin XNO-C6083  
Hanwha Techwin XNP-6120H  
Hanwha Techwin XNP-6370H  
Hanwha Techwin XNP-6400  
Hanwha Techwin XNP-6400R  
Hanwha Techwin XNP-6400RW  
Hanwha Techwin XNP-8250  
Hanwha Techwin XNP-8250R  
Hanwha Techwin XNP-8300R  
Hanwha Techwin XNP-8300RW  
Hanwha Techwin XNP-9250  
Hanwha Techwin XNP-9250R  
Hanwha Techwin XNP-9300R  
Hanwha Techwin XNP-9300RW  
Hanwha Techwin XNV-6011/W  
Hanwha Techwin XNV-6081RE  
Hanwha Techwin XNV-6083RZ  
Hanwha Techwin XNV-6123R  
Hanwha Techwin XNV-8082R  
Hanwha Techwin XNV-8083Z  
Hanwha Techwin XNV-9082R  
Hanwha Techwin XNV-9083RZ  
Hanwha Techwin XNV-C6083  
HBTech TVR6116G  
Hikvision CDW-2743G1-IZS  
Hikvision DS-2CD1023GOE-I  
Hikvision DS-2CD1027G0-L  
Hikvision DS-2CD1043G0E-I  
Hikvision DS-2CD2043G2-I  
Hikvision DS-2CD2121G0-I  
Hikvision DS-2CD2121G0-IS  
Hikvision DS-2CD2121G0-IW  
Hikvision DS-2CD2121G0-IWS  
Hikvision DS-2CD2443G0-IW  
Hikvision DS-2CD2523G0-I  
Hikvision DS-2CD2646G2-IZSU/SL  
Hikvision DS-2CD2743GO-IZS  
Hikvision DS-2CD2T26G1-2I  
Hikvision DS-2CD2T26G2-ISU/SL  
Hikvision DS-2CD2T46G1-4I  
Hikvision DS-2CD2XXXXX-XX Series  
Hikvision DS-2CD3026G2-IS  
Hikvision DS-2CD3126G2-IS  
Hikvision DS-2CD3626G2-IZS

Hikvision DS-2CD3626G2T-IZS  
Hikvision DS-2CD3656G2-IZS  
Hikvision DS-2CD3656G2T-IZS  
Hikvision DS-2CD3726G2-IZS  
Hikvision DS-2CD3726G2T-IZS  
Hikvision DS-2CD3756G2-IZS  
Hikvision DS-2CD3756G2T-IZS  
Hikvision DS-2CD3XXXXXX-XX Series  
Hikvision DS-2CD4XXXXXX-XX Series  
Hikvision DS-2CD5146G0-IZS  
Hikvision DS-2CD5A46G0-IZS  
Hikvision DS-2CD63C5G0-IVS  
Hikvision DS-2CD6D24FWD-IZHS  
Hikvision DS-2CD6D54FWD-IZHS  
Hikvision DS-2CD6XXXXXX-XX Series  
Hikvision DS-2CD7126G0-IZS  
Hikvision DS-2CD72325G0/E  
Hikvision DS-2CD7A26G0/P-IZS  
Hikvision DS-2CD7XXXXXX-XX Series  
Hikvision DS-2DE2XXXXXX-XX Series  
Hikvision DS-2DE4425W-DE  
Hikvision DS-2DE4XXXXXX-XX Series  
Hikvision DS-2DE5225W-AE  
Hikvision DS-2DE5232W-AE  
Hikvision DS-2DE5232W-AE  
Hikvision DS-2DE6XXXXXX-XX Series  
Hikvision DS-2DE7A245IX-AE/S1  
Hikvision DS-2DE7XXXXXX-XX Series  
Hikvision DS-2DF6XXXXXX-XX Series  
Hikvision DS-2DF7XXXXXX-XX Series  
Hikvision DS-2DF8442IXS-AEL  
Hikvision DS-2DF8XXXXXX-XX Series  
Hikvision DS-2DP1618ZIXS-D  
Hikvision DS-2DP3236ZIXS-D/440  
Hikvision DS-2TD1217-2/V1  
Hikvision DS-2TD2637T-7QY  
Hikvision DS-6716HUHI-K  
Hikvision DS-7324HUHI-K4  
Hikvision DS-7608NI-E2/8P  
Hikvision DS-7608NI-K2/8P  
Hikvision DS-7616NI-E2/8P  
Hikvision DS-7632NI-E2/16P  
Hikvision DS-7632NI-E2/8P  
Hikvision DS-7632NI-K2/16P  
Hikvision DS-7708NI-K4 / 8P  
Hikvision DS-96256NI-I24  
Hikvision DS-K1T671TM  
Hikvision DS-K1TA70MI-T  
Hikvision DS-K1XXXXXX Series  
Hikvision DS-K5671-ZU  
Hikvision DS-KB8113-IME1  
Hikvision DS-MH2311  
Hikvision DS-MP5604-SD



Hikvision DS-PA0103  
Hikvision DS-PA0103-B  
Hikvision DS-PEAP-CV1EUHK  
Hikvision Hikconnect 8  
Hikvision IDS-2CD7A26G0/P-IZHS  
Hikvision iDS-2CD7A26G0/P-IZHSY  
Hikvision iDS-2CD7XXXG0-XX Series  
Hikvision iDS-2CD7XXXG1-XX Series  
Hikvision iDS-2CD8XXXG0-XX Series  
Hikvision iDS-2CD8XXXG1-XX Series  
Hikvision iDS-2VS435-F836-EY  
Hikvision iDS-2VS435-F840-EY  
Hikvision iDS-7204HQHI-M1/S  
Hikvision iDS-7208HQHI-M1/S  
Hikvision iDS-7216HQHI-M1/S  
Hikvision iDS-7716NXI-I4 / 16P/X(B)  
Hikvision iDS-7732NXI-I4 / 16P/X(B)  
Hikvision iDS-TCM203-A  
Hikvision iDS-TCM2XXXX Series  
Hikvision iDS-TCM4XXXX Series  
Honeywell HBD2FR  
Honeywell HC30WB5R1  
Honeywell HD45IP  
Huawei C2121-I  
Huawei M1221-Q  
Huawei M2150-10-EI  
Huawei M3250-10-EI-Sf  
Huawei X2261-FL  
Intelbras iMHDX 3004  
Intelbras iMHDX 3008  
Intelbras iMHDX 3016  
Intelbras iMHDX 3032  
Intelbras iNVD 1016  
Intelbras iNVD 9116 PE FT  
Intelbras iNVD 9132 PE FT  
Intelbras iNVD 9164 FT  
Intelbras MHDX 1204  
Intelbras MHDX 1208  
Intelbras MHDX 1216  
Intelbras MHDX 1232  
Intelbras MHDX 3016 C  
Intelbras MHDX3008-C  
Intelbras NVD 9024 P FT  
Intelbras NVD 9032 R FT  
Intelbras NVD1208  
Intelbras NVD1404  
Intelbras NVD1404 P  
Intelbras NVD1408  
Intelbras NVD1408 P  
Intelbras NVD1432  
Intelbras NVD3308-P  
Intelbras NVD3316  
Intelbras NVD3316-P

Intelbras NVD3332  
Intelbras SVR 7132 PE  
Intelbras SVR 7164  
Intelbras VIP 1230 W  
Intelbras VIP 1430 B G2  
Intelbras VIP 1430 D G2  
Intelbras VIP 1430B  
Intelbras VIP 1430D  
Intelbras VIP 3215 SD IR  
Intelbras VIP 3225 SD IR IA  
Intelbras VIP 3230 B SL  
Intelbras VIP 3230 B SL G2  
Intelbras VIP 3230 B SL G3  
Intelbras VIP 3230 D SL  
Intelbras VIP 3230 D SL G2  
Intelbras VIP 3230 D SL G3  
Intelbras VIP 3240 B IA  
Intelbras VIP 3240 D IA  
Intelbras VIP 3240 DZ G2  
Intelbras VIP 3240 DZ G3  
Intelbras VIP 3240 IA  
Intelbras VIP 3240 Z  
Intelbras VIP 3240 Z G2  
Intelbras VIP 3260Z G2  
Intelbras VIP 3430 B G2  
Intelbras VIP 3430 D G2  
Intelbras VIP 3830 B  
Intelbras VIP 5225 SD  
Intelbras VIP 5225 SD IR  
Intelbras VIP 5225 SD IR IA  
Intelbras VIP 5230 SD  
Intelbras VIP 5232 SD IA  
Intelbras VIP 5550 DZ IA  
Intelbras VIP 5550 Z IA  
Intelbras VIP 7211 TH MT  
Intelbras VIP 7225 SD IA  
Intelbras VIP 7245 SD  
Intelbras VIP 7250 D IA  
Intelbras VIP 7250 LPR IA FT  
Intelbras VIP 7250 LPR IA FTG2  
Intelbras VIP 7260 LPR IA FT  
Intelbras VIP 7260 Z FT  
Intelbras VIP 7301 TH MT  
Intelbras VIP 7401 TH MT  
Intelbras VIP 7425 SD IA FT  
Intelbras VIP 7860 Z IA FT  
Intelbras VIP 93200 LPR IA FT  
Intelbras VIP 94120 IA FT  
Intelbras VIP 94120 LPR IA FT  
Intelbras VIP 9840 SD IR IA  
Intelbras VIP-1130-B  
Intelbras VIP-1130-B-G2  
Intelbras VIP-1130-D-G2

Intelbras VIP-1130-D-G3  
Intelbras VIP-1220-B-FC-G2  
Intelbras VIP-1220-B-Full-Color  
Intelbras VIP-1220-D-Full-Color  
Intelbras VIP-1230-B  
Intelbras VIP-1230-B-G2  
Intelbras VIP-1230-B-G3  
Intelbras VIP-1230-D-G2  
Intelbras VIP-1230-D-G3  
Intelbras VIP-3220-SD-IR  
JFL Alarmes DHD-1108N  
JFL Alarmes DHD-1116N  
JFL Alarmes DHD-5116  
JFL Alarmes NHD-2108  
Kedacom IPC2533-FN-SIR50-Z2812  
Kedacom IPC2552-FNB-SIR50-Z2812  
LG LNU5460R  
LG RNUF-BP01A  
Longse LBB605XISS500  
Longse LBF605XSL200  
Longse PT7K136SS500  
Longse PT7KH36XGL500  
Mav HD IP Video streaming  
Mav IQ 250X  
Mav IQ Intelligent ANPR  
Merit Lilin F2R36C2IM  
Merit Lilin P5R6352E2  
Merit Lilin P5R6522E2  
Merit Lilin P5R6552E2  
Merit Lilin P5R8822E2  
Merit Lilin Z5R6452X  
Merit Lilin Z5R6552X  
Merit Lilin Z5R8922X3  
Milesight MS-C2841-X36RPC  
Milesight MS-C2841-X36TPA  
Milesight MS-C2841-X36TPC  
Milesight MS-C2852-REPC  
Milesight MS-C2852-RPC  
Milesight MS-C2852-TEPC  
Milesight MS-C2852-TPC  
Milesight MS-C2862-TFIPA  
Milesight MS-C2862-TFIPC  
Milesight MS-C2862-TFPA  
Milesight MS-C2862-TFPC  
Milesight MS-C2866-X4RLPC  
Milesight MSC-2866-X4RLVC  
Milesight MS-C2866-X4RPC  
Milesight MS-C2866-X4TLPC  
Milesight MS-C2866-X4TLVP  
Milesight MS-C2866-X4TPC  
Milesight MS-C2867-X20RLPC  
Milesight MS-C2867-X20RPC  
Milesight MS-C2867-X20TLPC

Milesight MS-C2867-X20TPC  
Milesight MS-C2871-X20RPC  
Milesight MS-C2871-X20TPA  
Milesight MS-C2871-X20TPC  
Milesight MS-C2872-RFIPC  
Milesight MS-C2872-RFPC  
Milesight MS-C2872-TFIPA  
Milesight MS-C2872-TFIPC  
Milesight MS-C2872-TFPA  
Milesight MS-C2872-TFPC  
Milesight MS-C2941-X23RPC  
Milesight MS-C2941-X23TPA  
Milesight MS-C2941-X23TPC  
Milesight MS-C2941-X30RPB  
Milesight MS-C2941-X30RPC  
Milesight MS-C2941-X30TPA  
Milesight MS-C2941-X30TPC  
Milesight MS-C2941-X42RPC  
Milesight MS-C2941-X42TPA  
Milesight MS-C2941-X42TPC  
Milesight MS-C2952-REPC  
Milesight MS-C2952-RPC  
Milesight MS-C2952-TEPC  
Milesight MS-C2952-TPC  
Milesight MS-C2961-REL(P)B  
Milesight MS-C2962-QFILPB  
Milesight MS-C2962-RELPC  
Milesight MS-C2962-REPC  
Milesight MS-C2962-RFILPC  
Milesight MS-C2962-RFIPC  
Milesight MS-C2962-RFLPC  
Milesight MS-C2962-TELPC  
Milesight MS-C2962-TEPA  
Milesight MS-C2962-TEPC  
Milesight MS-C2962-TFILPC  
Milesight MS-C2962-TFIPA  
Milesight MS-C2962-TFIPC  
Milesight MS-C2962-TFLPC  
Milesight MS-C2962-TFPA  
Milesight MS-C2962-TFPC  
Milesight MS-C2963-RPC  
Milesight MS-C2964-RFILPC  
Milesight MS-C2964-RFIPC  
Milesight MS-C2964-RFLPB  
Milesight MS-C2964-RFLPC  
Milesight MS-C2964-RFPC  
Milesight MS-C2964-RPC  
Milesight MS-C2966-X12RLPC  
Milesight MS-C2966-X12RLVPC  
Milesight MS-C2966-X12RPC  
Milesight MS-C2966-X12TLPC  
Milesight MS-C2966-X12TLVPA  
Milesight MS-C2966-X12TLVPC

Milesight MS-C2966-X12TPC  
Milesight MS-C2967-X23RLPC  
Milesight MS-C2967-X23RPC  
Milesight MS-C2967-X23TLPC  
Milesight MS-C2967-X23TPC  
Milesight MS-C2971-X12RPC  
Milesight MS-C2971-X12TPA  
Milesight MS-C2971-X12TPC  
Milesight MS-C2971-X23RPB  
Milesight MS-C2971-X23RPC  
Milesight MS-C2971-X23TPA  
Milesight MS-C2971-X23TPC  
Milesight MS-C2972-FPB  
Milesight MS-C2972-RFIPC  
Milesight MS-C2972-RFPC  
Milesight MS-C2972-TFIPA  
Milesight MS-C2972-TFIPC  
Milesight MS-C2972-TFPA  
Milesight MS-C2972-TFPC  
Milesight MS-C2973-RPC  
Milesight MS-C2973-SPB  
Milesight MS-C2975-PB  
Milesight MS-C2975-REPC  
Milesight MS-C2975-RPC  
Milesight MS-C2983-RPC  
Milesight MS-C5341-X23PC  
Milesight MS-C5341-X30PC  
Milesight MS-C5341-X42PC  
Milesight MS-C5351-PC  
Milesight MS-C5352-PC  
Milesight MS-C5361-PB  
Milesight MS-C5362-EPC  
Milesight MS-C5362-FIPC  
Milesight MS-C5362-FPB  
Milesight MS-C5362-FPC  
Milesight MS-C5363-PC  
Milesight MS-C5364-FIPC  
Milesight MS-C5364-FPC  
Milesight MS-C5364-PB  
Milesight MS-C5364-PC  
Milesight MS-C5365-PA  
Milesight MS-C5365-PB  
Milesight MS-C5366-X12PC  
Milesight MS-C5367-X23PC  
Milesight MS-C5371-X12HPB  
Milesight MS-C5371-X12PC  
Milesight MS-C5372-FIPC  
Milesight MS-C5372-FPC  
Milesight MS-C5373-PB  
Milesight MS-C5373-PC  
Milesight MS-C5375-EPC  
Milesight MS-C5375-PB  
Milesight MS-C5375-PC

Milesight MS-C5376-PA  
Milesight MS-C5383-PC  
Milesight MS-C8152-PC  
Milesight MS-C8162-FIPC  
Milesight MS-C8162-FPC  
Milesight MS-C8163-PC  
Milesight MS-C8164-FIPC  
Milesight MS-C8164-FPC  
Milesight MS-C8164-PC  
Milesight MS-C8165-PA  
Milesight MS-C8165-PB  
Milesight MS-C8172-FIPC  
Milesight MS-C8172-FPC  
Milesight MS-C8173-PC  
Milesight MS-C8176-PA  
Milesight MS-C8183-PC  
Milesight MS-C8241-X36PA  
Milesight MS-C8241-X36PC  
Milesight MS-C8252-PC  
Milesight MS-C8262-FILPB  
Milesight MS-C8262-FIPA  
Milesight MS-C8262-FIPC  
Milesight MS-C8262-FPA  
Milesight MS-C8262-FPC  
Milesight MS-C8266-X4PC  
Milesight MS-C8267-X20PC  
Milesight MS-C8267-X5PC  
Milesight MS-C8272-FIPA  
Milesight MS-C8272-FIPC  
Milesight MS-C8272-FPA  
Milesight MS-C8272-FPC  
Milesight MS-C9674-PA  
Motorola MTD041L0011  
Motorola MTD081F0011  
Motorola MTD081F0013  
Motorola MTD081L0011  
Motorola MTD081L0013  
Motorola MTD081U0N01  
Motorola MTD161F0012  
Motorola MTD161L0011  
Motorola MTD161L0013  
Motorola MTD324U0012  
Motorola MTIBM022601  
Motorola MTIBM022602  
Motorola MTIBM022603  
Motorola MTIBM024602  
Motorola MTIBM032701  
Motorola MTIBM032702  
Motorola MTIBM032704  
Motorola MTIBM034704  
Motorola MTIBM042611  
Motorola MTIBM052701  
Motorola MTIBM052711

Motorola MTIBM052712  
Motorola MTIBM052713  
Motorola MTIBM052714  
Motorola MTIBM052724  
Motorola MTIBM054701  
Motorola MTIBM055701  
Motorola MTIBM055711  
Motorola MTIBM055721  
Motorola MTIBM058701  
Motorola MTIBM072722  
Motorola MTIBM078721  
Motorola MTIDM022601  
Motorola MTIDM022602  
Motorola MTIDM022603  
Motorola MTIDM024602  
Motorola MTIDM032701  
Motorola MTIDM032702  
Motorola MTIDM032704  
Motorola MTIDM032801  
Motorola MTIDM034801  
Motorola MTIDM038802  
Motorola MTIDM042611  
Motorola MTIDM045701  
Motorola MTIDM045702  
Motorola MTIDM045721  
Motorola MTIDM052711  
Motorola MTIDM052713  
Motorola MTIDM052821  
Motorola MTIDM055721  
Motorola MTIFM036701  
Motorola MTIPM102631  
Motorola MTIPM152641  
Motorola MTIPM152661  
Motorola MTIPM154661  
Motorola MTN081K0022  
Motorola MTN162K0021  
Motorola MTN162U1611  
Motorola MTN322K0012  
Nature NVC-HD412IRP  
Nature NVC-HD422IRP  
Nature NVC-HD9622GI/C  
Nature NVC-HD9632GI  
Nature NVR-9136HGK  
Nature NVR-9164HGK  
ONVIF Camera  
Opgal Sii OP  
Optex RLS-3060V  
Optex RLS-50100V  
Panasonic WV-S2131L  
Panasonic WV-S6130  
Panasonic WV-S6530N  
Panasonic WV-U1113J  
Panasonic WV-U11143

Panasonic WV-U1130  
Panasonic WV-U1132  
Panasonic WV-U1133J  
Panasonic WV-U11343  
Panasonic WV-U1142  
Panasonic WV-U1532L  
Panasonic WV-U1533J  
Panasonic WV-U1542L  
Panasonic WV-U2114J  
Panasonic WV-U2130L  
Panasonic WV-U2132L  
Panasonic WV-U2134J  
Panasonic WV-U2140L  
Panasonic WV-U2142L  
Panasonic WV-U2530L  
Panasonic WV-U2532L  
Panasonic WV-U2540L  
Panasonic WV-U2542L  
Panasonic WV-X6531  
Panasonic WV-X8570  
Pelco Esprit Enhanced S7230L-PW  
Pelco IBV229-1ER  
Pelco IBV529-1ER  
Pelco IFV222-1ERS  
Pelco IFV523-1ERS  
Pelco IJV223-1ERS  
Pelco IJV522-1ERS  
Pelco IMF122-1ERS  
Pelco IMV229-1ERS  
Pelco IMV529-1ERS  
Pelco ITV529-1ERS  
Pelco Sarix Enhanced III IBE238-1ER  
Pelco Sarix Enhanced III IBE332-1ER  
Pelco Sarix Enhanced III IBE338-1ER  
Pelco Sarix Enhanced III IBE539-1ER  
Pelco Sarix Enhanced III IBE832-1ER  
Pelco Sarix Enhanced III IBE839-1ER  
Pelco Sarix Enhanced III IME238-1ERS  
Pelco Sarix Enhanced III IME238-1IRS  
Pelco Sarix Enhanced III IME332-1ERS  
Pelco Sarix Enhanced III IME332-1IRS  
Pelco Sarix Enhanced III IME338-1ERS  
Pelco Sarix Enhanced III IME338-1IRS  
Pelco Sarix Enhanced III IME539-1ERS  
Pelco Sarix Enhanced III IME539-1IRS  
Pelco Sarix Enhanced III IME832-1ERS  
Pelco Sarix Enhanced III IME832-1IRS  
Pelco Sarix Enhanced III IME839-1ERS  
Pelco Sarix Enhanced III IME839-1IRS  
Pelco Sarix Enhanced III IXE23  
Pelco Sarix Enhanced III IXE33  
Pelco Sarix Enhanced III IXE53  
Pelco Sarix Enhanced III IXE83



Pelco Spectra Enhanced 7IR  
Powerconn MDV 1204G  
Powerconn MDV 1208G  
Proimage PROI-0505(M)  
Proimage PROI-0618(M)  
Proimage PROI-1710IR(S)  
Proimage PROI-5012(M)  
Pumatronix ITSCAM HDR13L3  
Redvision Knight  
Redvision RVK-E10-IR  
Redvision RVK-V10  
Redvision RVK-W10-IR  
Redvision RVK-W20-IR  
Redvision RVX2 COMBAT  
Redvision RVX2 STORM  
Redvision RVX3  
Redvision RVX4  
Redvision RVX4 COMMANDER  
Redvision Vega 2052  
Redvision Vega 2062  
Relm RC-I827R  
Samsung QRN-1610S  
Samsung QRN-410S  
Samsung QRN-820S  
Samsung SRN-4000  
Samsung SRN-473S  
Samsung SRN-873S  
Samsung XRN-810S  
Sightlogix SightSensor HD236-220  
Siquira 1xxx-2xxx Series  
Sunell SN-IPR57/04BZDN/Z  
Sunell SN-IPV57/80HDR/B  
Sunell SN-TPC2553DT-13  
TechBoard SY-N3BL312RV  
TechBoard SY-N3DM312RV  
Toa IP-A1SC15  
Tronnix MDV 1204G  
Tronnix MDV 1208G  
TVT TD-9483E3L  
TWG TW-2146-POE  
TWG TW-2156-POE-STAR-PLUS  
TWG TW-3146-POE  
TWG TW-3156-POE-STAR-PLUS  
TWG TW-6104T LM  
TWG TW-6108T LM  
TWG TW-6116T LM  
Unitronix UTX2128SR3-DPF40  
Unitronix UTX2128SR3-DPF60  
Uniview C1L-2WN-G  
Uniview IPC2122LB-ADF28KM-G  
Uniview IPC2122LB-ADF40KM-G  
Uniview IPC2122LB-SBF40-A  
Uniview IPC2122LB-SF28-A

Uniview IPC2122LB-SF40-A  
Uniview IPC2122LE-ADF28KMC-WL  
Uniview IPC2122LE-ADF40KMC-WL  
Uniview IPC2123LB-AF28KM-G  
Uniview IPC2123LB-AF40KM-G  
Uniview IPC2124LE-ADF28KM-G  
Uniview IPC2124LE-ADF40KM-G  
Uniview IPC2124SB-ADF28KMC-I0  
Uniview IPC2124SB-ADF28KM-I0  
Uniview IPC2124SB-ADF40KMC-I0  
Uniview IPC2124SB-ADF40KM-I0  
Uniview IPC2125LE-ADF28KM-G  
Uniview IPC2125LE-ADF40KM-G  
Uniview IPC2125SB-ADF28KM-I0  
Uniview IPC2125SB-ADF40KM-I0  
Uniview IPC2224SE-DF40K-WL-I0  
Uniview IPC2224SE-DF60K-WL-I0  
Uniview IPC2225SE-DF40K-WL-I0  
Uniview IPC2225SE-DF60K-WL-I0  
Uniview IPC2312SB-ADF40KM-I0  
Uniview IPC2312SB-ADF60KM-I0  
Uniview IPC2314SB-ADF40KM-I0  
Uniview IPC2314SB-ADF60KM-I0  
Uniview IPC2315SB-ADF40KM-I0  
Uniview IPC2315SB-ADF60KM-I0  
Uniview IPC2322LB-ADZK-G  
Uniview IPC2322SB-DZK-I0  
Uniview IPC2324LB-ADZK-G  
Uniview IPC2324SB-DZK-I0  
Uniview IPC2325LB-ADZK-G  
Uniview IPC2325SB-DZK-I0  
Uniview IPC2A22SA-DZK  
Uniview IPC312SB-ADF28K-I0  
Uniview IPC314SB-ADF28K-I0  
Uniview IPC314SB-ADF28K-M12-I0  
Uniview IPC322LB-DSF28K-G  
Uniview IPC322LB-DSF40K-G  
Uniview IPC322LB-SBF28-A  
Uniview IPC322LB-SF28-A  
Uniview IPC322LB-SF40-A  
Uniview IPC-322LR3-VSPF28-D  
Uniview IPC322SB-DF28K-I0  
Uniview IPC322SB-DF40K-I0  
Uniview IPC3232SA-DZK  
Uniview IPC3232SB-ADZK-I0  
Uniview IPC-3234SB-ADZK-I0  
Uniview IPC3235SB-ADZK-I0  
Uniview IPC323LB-SF28K-G  
Uniview IPC323LB-SF40K-G  
Uniview IPC324LE-DSF28K-G  
Uniview IPC324LE-DSF40K-G  
Uniview IPC324SB-DF28K-I0  
Uniview IPC324SB-DF40K-I0

Uniview IPC325LE-ADF28K-G  
Uniview IPC325LE-ADF40K-G  
Uniview IPC325SB-DF28K-I0  
Uniview IPC325SB-DF40K-I0  
Uniview IPC3532LB-ADZK-G  
Uniview IPC3534LB-ADZK-G  
Uniview IPC3535LB-ADZK-G  
Uniview IPC354SB-ADNF28K-I0  
Uniview IPC3612LB-ADF28K-G  
Uniview IPC3612LB-ADF40K-G  
Uniview IPC3612LB-SBF28-A  
Uniview IPC3612LB-SF28-A  
Uniview IPC3612LB-SF40-A  
Uniview IPC3612LE-ADF28KC-W  
Uniview IPC3612LE-ADF40KC-W  
Uniview IPC3612SB-ADF28KM-I0  
Uniview IPC3612SB-ADF40KM-I0  
Uniview IPC3613LB-ADF28K-G  
Uniview IPC3613LB-ADF40K-G  
Uniview IPC3614LE-ADF28K-G  
Uniview IPC3614LE-ADF40K-G  
Uniview IPC3614SB-ADF28KMC-I0  
Uniview IPC3614SB-ADF28KM-I0  
Uniview IPC3614SB-ADF40KMC-I0  
Uniview IPC3614SB-ADF40KM-I0  
Uniview IPC3615LE-ADF28K-G  
Uniview IPC3615LE-ADF40K-G  
Uniview IPC3615SB-ADF28KMC-I0  
Uniview IPC3615SB-ADF28KM-I0  
Uniview IPC3615SB-ADF40KMC-I0  
Uniview IPC3615SB-ADF40KM-I0  
Uniview IPC3615SE-ADF28KM-WL-I0  
Uniview IPC3615SE-ADF40KM-WL-I0  
Uniview IPC3632LB-ADZK-G  
Uniview IPC3632SA-ADZK  
Uniview IPC3632SB-ADZK-I0  
Uniview IPC3634LB-ADZK-G  
Uniview IPC3634SB-ADZK-I0  
Uniview IPC3634SE-ADF28K-WL-I0  
Uniview IPC3634SE-ADF40K-WL-I0  
Uniview IPC3635LB-ADZK-G  
Uniview IPC3635SB-ADZK-I0  
Uniview IPC-6424SR-X25-VF  
Uniview IPC-9312LFW-AF28-2X4  
Urmet 1093/180M4I - IP Dome 4MP  
Urmet 1097/564 - HVR 5M  
Urmet 1097/566 - HVR 5M  
Urmet 1097/568 - HVR 5M  
Urmet 1098/304 - NVR 4K  
Urmet 1098/304P - NVR 4K  
Urmet 1098/308 - NVR 4K  
Urmet 1098/308P - NVR 4K  
Urmet 1098/316 - NVR 4K

Urmet 1098/316P - NVR 4K  
Urmet 1098/318 - NVR 4K  
Urmet 1098/332 - NVR 4K  
Urmet 1099/201 - IP Bullet 2MP Starlight  
Urmet 1099/301 - IP Dome 2MP Starlight  
Urmet 1111\*111 - IP Bullet 2M ECO  
Urmet 1111\*113 - IP Dome 2M ECO  
Venetian XVR-2004  
Venetian XVR-2008  
Venetian XVR-2108  
Venetian XVR-2116  
Venetian XVR-3116  
Verint S1808e  
Verint S1816e  
VideoMarte BRC-HV5620H  
VideoMarte BRC-XV5620X  
VideoTec EVO  
VideoTec ULISSE EVO  
Videowave Onetrack  
Visar VSX-1168  
Visar VSX-4168  
Vivotek AU-001  
Vivotek AU-002  
Vivotek CC9380-HV  
Vivotek CC9381-HV  
Vivotek FD9165-HT  
Vivotek FD9165-HT-A  
Vivotek FD9166-HN  
Vivotek FD9167-HT-v2  
Vivotek FD9182-H  
Vivotek FD9187-HT-A  
Vivotek FD9189-H  
Vivotek FD9189-HM  
Vivotek FD9189-HT  
Vivotek FD9189-HT-v2  
Vivotek FD9360-H  
Vivotek FD9365-EHTV-A  
Vivotek FD9365-HTV-A  
Vivotek FD9366-HV  
Vivotek FD9367-EHTV-v2  
Vivotek FD9368-HTV  
Vivotek FD9369  
Vivotek FD9380-H  
Vivotek FD9387-EHT-A  
Vivotek FD9387-EHTV-A  
Vivotek FD9387-HT-A  
Vivotek FD9387-HTV-A  
Vivotek FD9387-HV  
Vivotek FD9388-HTV  
Vivotek FD9389-EH MV  
Vivotek FD9389-EHTV  
Vivotek FD9389-EHTV-V2  
Vivotek FD9389-EHV

Vivotek FD9389-EHV-V2  
Vivotek FD9389-HMV  
Vivotek FD9389-HTV  
Vivotek FD9391-EHTV  
Vivotek FE-9191-EV  
Vivotek FE9380-HV  
Vivotek FE9382-EHV-v2  
Vivotek IB9360-H  
Vivotek IB9365-HT-A  
Vivotek IB9365-LPR  
Vivotek IB9365-LPR-W  
Vivotek IB9367-EHT-v2  
Vivotek IB9369  
Vivotek IB9380-H  
Vivotek IB9387-EH  
Vivotek IB9387-EHT  
Vivotek IB9387-H  
Vivotek IB9387-HT  
Vivotek IB9387-LPR  
Vivotek IB9387-LPR-W  
Vivotek IB9388-HT  
Vivotek IB9389-EH  
Vivotek IB9389-EHM  
Vivotek IB9389-EHT  
Vivotek IB9389-EHT-v2  
Vivotek IB9389-H  
Vivotek IB9389-HM  
Vivotek IB9389-HT  
Vivotek IP9165-HT-v2  
Vivotek IP9165-LPC-v2  
Vivotek IT9360-H  
Vivotek IT9380-H  
Vivotek IT9388-HT  
Vivotek MD9560-DH  
Vivotek MD9560-H  
Vivotek MD9582-H  
Vivotek MD9584-H  
Vivotek ND9213P  
Vivotek ND9322P-V2  
Vivotek ND9323P  
Vivotek ND9425P  
Vivotek ND9441  
Vivotek ND9441P  
Vivotek ND9541P  
Vivotek SC8131  
Vivotek SD9362-EH-v2  
Vivotek SD9363-EHL  
Vivotek SD9363-EHL-v2  
Vivotek SD9364-EH  
Vivotek SD9364-EHL-v2  
Vivotek SD9364-EH-v2  
Vivotek SD9365-EHL  
Vivotek SD9366-EH

Vivotek SD9366-EH-v2  
Vivotek SD9374-EHL  
Vivotek SD9374-EHLX  
WatchNet IPVR-24DR  
WCA B60X335  
WCA B60X462WH  
WCA BM30FH8652  
WCA H30X335  
WCA HVR0909B  
Zenitel ELSII-10H  
Zenitel TCIV-3+  
ZKTeco BL-852Q38A  
ZKTeco BL-858M48S  
ZKTeco DL-852T28B  
ZKTeco DL-855P28B  
ZKTeco ES-854N21C-E3  
ZKTeco ES-854N22C-E3

### 11.2.2 I/O Devices

Advantech ADAM-6050  
Advantech ADAM-6051  
Advantech ADAM-6052  
Advantech ADAM-6060  
Advantech ADAM-6066  
Alphasec AS-881  
Axis A9188  
Axis A9188-VE  
Flexmedia CSDS4T4R  
Flexmedia CSDSF8R  
Flexmedia CSDSF8T  
Nano Radar NSR100W  
NSE IPNET11  
NSE IPNET22  
NSE IPNET44

### 11.3 Fixes

- Improved the self-healing system to avoid merge and download jobs that get stuck for a long time;
- Fixed an issue where the write failure event was re-triggered continuously after the first error.
- Fixed an issue where the surveillance client did not list views correctly;
- Thai characters have been added for surveillance client reports;
- The system now allows the user to cancel sending authenticated reports;
- Fixed an issue where the surveillance client was not allocating resources for resizing correctly.
- The display of categorized items in groups for servers in master/slave architecture has been fixed to correctly reflect the objects;
- Fixed a problem when registering presets where the system did not allow registering presets with the same initial number (2 and 20, 3 and 30, etc);
- Client updater now works with HTTPS even if HTTP is disabled;
- Fixed an issue where the surveillance client did not allow changing the port when selecting connection via SSL;
- The list of cameras in the settings register (maps, object links, etc) will now list the groups at the top of the list;

- Fixed an issue in Edge Recording Event via Scheduled Event that prevented recordings from downloading.
- Fixed an issue where sending write error TRAPs were not being sent in SNMP;
- Operational maps will now unlink objects that are deleted from the system;
- Fixed an issue where broadcast services would generate an Access Violation error when clearing services;
- Fixed an issue when registering the same Dahua device with different drivers (for different channels);
- Fixed an issue when fetching LPR records by vehicle classification
- Fixed an issue in the LPR report where the owner was displayed in the notes field;
- The administration client will now update the list of objects between servers when selecting the same item between servers;
- LPR now displays plate color information for black plate;
- Fixed an issue when exporting videos in MP4 where some frames were incomplete;
- Fixed an issue in the Dahua analytics driver where UTF-8 characters were not displayed correctly;
- Fixed an issue in Vivotek's IO driver to correctly list the number of ports;
- The system now correctly saves the database path in the backup configuration;
- Improved responsiveness in the scrollbar for selecting new columns in the admin client;
- The system now updates on-screen objects with the same name independently (formerly if there were two different objects with the same name, for example a camera and an LPR configuration, the system considered them to be the same object in the on-screen update );
- Added the option to connect via SSL for server registration via script in the monitoring client;
- Fix in GetServerSlaveConnections API command to return correct ID;
- Fixed an issue adding analytics server licenses;
- Fixed an issue in a Dahua driver where the device continued to receive video even if the format was different than the one selected.
- Added zone name for analytics direction filter;
- Fixed an issue in camera duplication where the camera's internal ID was also erroneously duplicated.
- The system now accepts IPv6 addresses without the brackets;
- Fixed an issue where the RTSP server reported an Access Violation error on the first SSL connection;
- API for plate detection now receives POST requests;
- Fixed an SSL socket issue for connecting to some hosts;
- LPR events now accept objects other than cameras;
- Fixed issues with the behavior of the administration client when a remote desktop session was closed and reopened with the client open;
- Synchronization of events using the event trigger time and not the server time at the time of notification, maintaining greater stability between popups and playback for triggered alarms;
- Improved the file system to no longer need to restart the server service when changing the camera recording directory. Failure to restart the service could erase images from the old directory while recycling writes;
- Fixed an issue where synchronizing with Active Directory with too many users could cause the system to delete users that were not loaded.
- Fixed an issue in the handling of ActiveX control;
- Fixed an issue where API calls to GetSnapshot and GetJPEGStream could return an image with a higher resolution than the original video.
- The camera rights screen will now correctly display long user group names;
- Fixed an issue where the SAFR facial recognition driver stopped receiving metadata.
- Fixed an issue with the HTTP action to handle responses with the wrong content size.
- The system now does not reset the I/O port when saving the object;
- Fixed an issue where the system did not send the IPX analytics metadata in the snapshot via email;
- Fixed an Access Violation issue in the IPX driver;
- Improved surveillance client player stability;
- Fixed an issue in the API where the rights to listen to audio were not being applied correctly.
- Fixed an issue with system stability when connecting to mobile clients;

- Fixed an issue with Dahua audio drivers;
- Added camera name in CSV communication failure report;
- Improved edge recording driver for Redvision cameras;
- Fixed an issue caused by edge recording drivers sending empty status messages to the database;
- Fixed layout issues for LPR reports;
- Fixed an issue in LPR log fetching API where camera name and LPR setting were different.
- Fixed an issue where the admin client would not connect to the camera for the audio event setup test;
- Improvements to the system's RTP server for greater stability;
- Fixed an issue where changing the operational map name could cause objects to become out of sync;
- Improved system performance and stability for changes in the media profile used for LPR and Analitico;
- Fixed an Access Violation issue with the privacy mask blurred;
- Fixed an issue where the system did not display the tiles correctly when loaded by the DGF-KB1000 console;
- Embedded web server was not serving .htm files in public folder to be viewed in browsers;
- The server event log viewer in the Administration Client will now display the date in local computer format;
- Fixed an issue where it was not possible to configure analytics if the connection to the server was with SSL;
- Fixed an issue with the display of search filters in the Surveillance Client where they could be duplicated if the client was connected to multiple servers;
- Fixed an issue where the Surveillance Client could not connect directly to the camera if it was configured for SSL access and the Relay was disabled;
- Fixed a server issue that could prevent the service from being stopped during server shutdown.
- Fixed an issue in the analytics metadata renderer used by video playback commands in the API that could crash the server.
- Fixed an issue that could temporarily hang the server during the process of authenticating users in Active Directory;
- Fixed an issue in the RTP Sender Report packet from the RTSP server where the system was sending an invalid value for the packet size, which could cause problems with some RTSP clients;
- Fixed some issues in the Real Networks SAFR Integration Edge Analytics driver that could cause the driver to malfunction;
- Fixed a live metadata rendering issue where metadata was being rendered above the camera description bar.
- Fixed an issue with scheduled events where a monthly event would not trigger on its start date.
- Fixed an issue that could cause a memory overflow when sending analytics metadata over low-bandwidth connections.
- Fixed an issue on the RTSP server that could return 407 Invalid Range when a recording period was not found.
- Fixed an issue in the LPR driver for Neural Labs VPAR server where vehicle speed was not being read in countries that use dot as decimal separator;
- Analytics and LPR Server will no longer erase the license if the USB key is removed, however the license will no longer function until the USB key is replaced;
- Fixed a problem when printing reports where the system always printed the report with A4 size sheet, now the system will scale to the standard sheet size of the system;
- The analytical disarming time configured per preset is now instantaneous to avoid false alarms when the camera switches to another preset;
- Fixed an issue where a camera's bookmark listing was using the camera's live view rights instead of video playback rights;